

1870.

QUEENSLAND.

TENTH ANNUAL REPORT

ON

REGISTRATION OF BIRTHS, MARRIAGES, AND DEATHS.

Presented to both Houses of Parliament by Command of His Excellency the Governor.

TO THE HONORABLE ARTHUR HUNTER PALMER, ESQUIRE, COLONIAL SECRETARY, ETC., ETC.

Registrar-General's Office,
Brisbane, 30th September, 1870.

SIR,

I do myself the honor to forward herewith, for presentation to Parliament, tables showing the results relative to the Vital Statistics of the Colony for the year 1869; being the tenth annual publication of this kind since Separation from New South Wales.

POPULATION OF THE COLONY.

The estimated population, on the 31st December, 1869, was 109,897, consisting of 66,571 males and 43,326 females.

The subjoined table shows how this result has been arrived at:—

TABLE showing the POPULATION of Queensland during each Quarter of the Year 1869, and the TOTAL POPULATION on the 31st DECEMBER of that year.

	Males.	Females.	Persons.
1ST QUARTER.			
Population on the 1st January	65,843	41,584	107,427
Increase by excess of Births over Deaths	199	286	485
Decrease by excess of Emigration over Immigration by Sea	66,042	41,870	107,912
	833	98	931
POPULATION ON THE 31ST MARCH	65,209	41,777	106,981
Decrease of Male Population by excess of Emigration over Increase by excess of Births	634	...	634
Increase of Female Population by excess of Births over Emigration by Sea	188	188
DECREASE DURING THE QUARTER	446
2ND QUARTER.			
Population on the 1st April	65,209	41,772	106,981
Increase by excess of Births over Deaths	327	435	762
Increase of Male Population by excess of Immigration over Emigration by Sea	804	...	304
Decrease of Female Population by excess of Emigration over Immigration by Sea	65,840	42,207	108,047
	...	26	26
POPULATION ON THE 30TH JUNE	65,840	42,181	108,021
INCREASE DURING THE QUARTER	631	409	1,040
3RD QUARTER.			
Population on the 1st July	65,840	42,181	108,021
Increase by excess of Births over Deaths	415	508	923
Increase by excess of Immigration over Emigration by Sea	449	329	778
POPULATION ON THE 30TH SEPTEMBER	66,704	43,018	109,722
INCREASE DURING THE QUARTER	864	837	1,701
4TH QUARTER.			
Population on the 1st October	66,704	43,018	109,722
Increase by excess of Births over Deaths	322	401	723
Decrease by excess of Emigration over Immigration by Sea... ..	67,026	43,419	110,445
	455	93	548
POPULATION ON THE 31ST DECEMBER	66,571	43,326	109,897
Decrease of Male Population by excess of Emigration over Increase by excess of Births	133	...	133
Increase of Female Population by excess of Births over Emigration by Sea	308	308
INCREASE DURING THE QUARTER	175
INCREASE DURING THE YEAR	728	1,742	2,470

ii. REGISTRAR-GENERAL'S REPORT—VITAL STATISTICS.

Analysing this table, it will be seen that on the 1st of January, 1869, we had an estimated population of 65,843 males, 41,584 females—total, 107,427 persons; and the total increase to the estimated population during 1869 was 728 males, 1,742 females, or 2,470 persons. The sources from which we derive this increase are—

- 1. Excess of immigration over emigration by sea, and
- 2. Natural increase arising from excess of births over deaths.

It may be well to take the first source into consideration. The total arrivals in the Colony by sea in 1869 numbered 6,701 persons, against which the departures were 7,124; a loss to the population from that source of 423 persons. The number of each sex which arrived in the Colony and departed thence, the proportion who may be considered above the age of childhood, and the countries from which they arrived, and to which they departed, is best shown in a tabulated form. I therefore insert here a table compiled from returns furnished by the Collector of Customs, which contains very complete information upon this subject.

TABLE showing ARRIVALS at, and DEPARTURES from the Colony, during 1869.

ARRIVALS.						DEPARTURES.					
WHENCE.	MALES.		FEMALES.		TOTAL.	DESTINATION.	MALES.		FEMALES.		TOTAL.
	Above 14.	Under 14.	Above 14.	Under 14.			Above 14.	Under 14.	Above 14.	Under 14.	
Great Britain ...	929	162	674	156	1,921	Great Britain ...	135	37	73	41	286
Australian Colonies ...	3,350	185	784	124	4,443	Australian Colonies ...	4,840	359	1,267	249	6,715
New Zealand ...	2	2	New Zealand ...	4	...	3	...	7
New Caledonia ...	8	8	New Caledonia ...	2	2
South Sea Islands ...	317	1	8	1	327	South Sea Islands ...	112	...	2	...	114
TOTAL ...	4,606	348	1,466	281	6,701	TOTAL ...	5,093	396	1,345	290	7,124
Total Arrivals						6,701					
Total Departures						7,124					
Excess of Departures						423					

This shows that of the 423 persons who left the Colony in excess of those who arrived, 366 were over the age of fourteen years, and 57 were children under that age. It can, therefore, be safely assumed that the number represented by the figures, 366, show the actual loss to the population last year of those who may be deemed adults.

Taking the second source into consideration, it will be perceived that, allowing for the loss to the population mentioned above, the increase under this head is 2,470 persons.

The results given above are totally unconnected with the immigration or emigration which took place during the same period between this Colony and New South Wales over the inland border, and it is a matter to be regretted that, at present, we have no means of framing an estimate of the migration of the population in that direction. It is supposed that the number arriving and departing by that route is about equal. The supposition may be considered, to a certain extent, correct, as far as previous years are concerned; for, if the estimated population of the Colony on the 31st December, 1860, 31st December, 1863, and 31st December, 1867, is compared with the total population ascertained by the Census taken early in each of the years following the several periods mentioned, it will be seen that the estimate made on each occasion approximated very closely to the results actually ascertained.

Table No. 2, Appendix A, shows the estimated population, and the estimated mean population, on the 31st December, 1869.

BIRTHS.

The births of 4,654 children, consisting of 2,412 males and 2,242 females, were registered in 1869, being an increase of 194 over the number recorded in 1868.

The annual birth-rate per 1,000 of our population for 1869 was 43·08: this compares very favorably—first, with the birth-rate in England (which, in 1868, was 36·35, the highest recorded in the English returns; an average taken in thirty-one years (1838 to 1868), gave only 33·35); and

secondly, with the rate in New South Wales, which, in 1868, was only 36·36, and a mean taken of the rate for ten years in that colony (1859 to 1868), was found to be 42·24.

The largest increase of births registered in any one district in 1869, compared with 1868, occurred in the registration district of Wide Bay, being 242 greater than the number registered during the previous year. Satisfactory increases are also apparent in the districts of Brisbane, Warwick, and Dalby. Amongst our most inland registration districts, Cape River, Tambo, and St. George exhibit no inconsiderable excess over the numbers recorded in 1868. On the other hand, the largest decreases have occurred in the districts of Ipswich, Drayton and Toowoomba, and Rockhampton—a fact I am at a loss how to explain, bearing in mind the largely increasing settlement of population taking place in the districts mentioned.

The proportion of each sex born (as previously stated), gives the percentage of 92·95 females born to every 100 males. This ratio is something under the proportion recorded during the previous four years, as shown below—

	1865.	1866.	1867.	1868.	1869.
The centesimal ratio of females born to every 100 males born...	96·88	93·07	96·75	96·74	92·95

The proportion the total number of births registered in 1869 bears to the female portion of the mean population of the year, is 10·96 per cent., being slightly in excess of the proportion in 1868.

The table given at foot shows the number of births registered in the years 1868 and 1869, and the proportion of males to females born in each year.

DISTRICT.	1868.			1869.			Total Increase* or Decrease† in the latter year.	Increase* or Decrease† per cent. in the latter year.	Females born to every 100 Males born in 1868.	Females born to every 100 Males born in 1869.
	Males.	Females.	Persons.	Males.	Females.	Persons.				
Banana ...	15	14	29	9	5	14	+ 15	+ 51·72	93·33	55·55
Bowen ...	46	40	86	36	39	75	+ 11	+ 12·79	86·96	108·33
Brisbane ...	658	655	1,313	705	664	1,369	* 56	* 4·26	99·54	94·18
Burke ...	3	5	8	9	2	11	* 3	* 37·50	166·66	22·22
Cape River ...	1	5	6	18	12	30	* 24	* 400·00	500·00	66·66
Cardwell ...	2	4	6	4	4	8	* 2	* 33·33	200·00	100·00
Condamine ...	8	12	20	11	7	18	+ 2	+ 10·00	150·00	63·63
Dalby ...	87	70	157	90	90	180	* 23	* 14·64	80·46	100·00
Drayton and Toowoomba	263	287	550	263	252	515	+ 45	+ 8·18	109·12	95·81
Gayndah ...	56	39	95	41	36	77	+ 18	+ 18·94	69·54	87·80
Gilbert River	1	1	2	* 2	100·00
Gladstone ...	30	36	66	21	21	42	+ 24	+ 36·36	120·00	100·00
Goondiwindi ...	12	8	20	12	7	19	+ 1	+ 5·00	66·66	58·33
Ipswich ...	275	271	546	260	224	484	+ 62	+ 11·35	98·54	86·15
Leyburn ...	18	14	32	23	14	37	* 5	* 15·62	77·77	60·87
Mackay ...	10	23	33	25	27	52	* 19	* 57·57	23·00	108·00
Maryborough ...	183	168	351	301	292	593	* 242	* 68·94	91·80	97·01
Nanango ...	5	12	17	3	2	5	+ 12	+ 70·58	240·00	66·66
Nebo ...	7	6	13	5	5	10	+ 3	+ 23·07	85·71	100·00
Peak Downs ...	40	30	70	30	33	63	+ 7	+ 10·00	75·00	110·00
Princhester ...	2	4	6	5	2	7	* 1	* 16·66	200·00	40·00
Rockhampton ...	272	228	500	235	214	449	+ 51	+ 10·20	83·82	91·06
Roma ...	44	47	91	38	34	72	+ 19	+ 20·88	106·82	89·47
Somerset	2	2	2	...	2
Springsure ...	21	15	36	17	17	34	+ 2	+ 5·55	71·43	100·00
St. George ...	13	12	25	16	18	34	* 9	* 36·00	92·31	112·50
St. Lawrence ...	7	10	17	6	8	14	+ 3	+ 17·65	142·85	133·33
Surat ...	6	13	19	10	12	22	* 3	* 15·80	216·66	120·00
Tambo ...	5	4	9	11	11	22	* 13	* 144·44	80·00	100·00
Taroom ...	14	14	28	10	12	22	+ 6	+ 21·43	100·00	120·00
Townsville ...	25	23	48	30	27	57	* 9	* 18·75	92·00	90·00
Warrego ...	9	12	21	8	12	20	+ 1	+ 4·76	133·33	150·00
Warwick ...	122	95	217	141	124	265	* 48	* 22·12	77·87	80·85
Woogaroo ...	8	15	23	16	14	30	* 7	* 30·43	187·50	87·50
TOTAL ...	2,267	2,193	4,460	2,412	2,242	4,654	* 194	* 4·35	96·74	92·95

It may not be uninteresting to notice, as will be seen upon referring to Table No. 3, Appendix A, that the births are most numerous in the second and third quarters of the year—our coolest season; a fact which seems also to rule in England, where the births are most numerous in the winter and spring quarters.

MARRIAGES.

There were 903 marriages registered in the Colony during 1869, a number greater by forty than in the previous year—a centesimal increase of 4·64.

A gradual falling off in the number of marriages celebrated has been apparent since the year 1865, when the highest number was registered, viz., 1,074; and it is, therefore, satisfactory to observe that an increase has again taken place in 1869. In Table No. 1, Appendix A, the relative numbers are given.

Bearing upon the subject of the effect the prospects of the people, either good or bad, have upon the increase or decrease in the number of marriages celebrated, a short quotation from the observations made by the Registrar-General of England, in his Report on Births, &c., for 1868, is worth transcribing. He says, relative to a falling off in the number of marriages celebrated that year—"As the fluctuations in marriages express pretty accurately the condition and prospects of the people, it may be inferred from these numbers that the commercial depression of the country has not been dispelled. The circumstances which have caused so remarkable a decrease, and which are traceable to the prostration of trade and national industry, began in 1866-7; and, notwithstanding the bountiful yield of the wheat harvest of 1868, continued throughout that year."

Any person conversant with the history of Queensland since 1865, who will refer to the table mentioned above, cannot fail to be struck with the truth of Mr. Graham's proposition, which seems as applicable to this Colony as to England. It is, therefore, to be hoped that the increase perceptible in the marriages celebrated in 1869 may be a presage to improvement in the prospects of the people of Queensland.

The subjoined table shows the number of marriages celebrated by each denomination, and in the Registrars' Offices, comparing the results shown by the returns of 1868 with those of 1869.

COMPARATIVE TABLE showing the NUMBER OF MARRIAGES CELEBRATED by the various Religious Denominations, and the District Registrars, in the years 1868 and 1869 respectively.

Denomination.	Number of Marriages, 1868.	Number of Marriages, 1869.	Numerical Increase* or Decrease† in 1869.	Centesimal Increase* or Decrease† in 1869.
Church of England	135	146	*11	8·14
Church of Rome	244	230	†14	5·74
Presbyterians	161	160	† 1	0·62
Wesleyan Methodists	53	65	*12	22·64
Primitive Methodists	23	33	*10	43·48
United Methodist Free Church	3	1	† 2	66·66
Congregationalists	53	50	† 3	5·66
Baptists	36	40	* 4	11·11
Particular Baptists	10	3	† 7	70·00
Lutherans	43	51	* 8	18·60
Hebrew Church	4	...	† 4	...
German Independent Church	7	9	* 2	28·57
Bible Christians	1	1
District Registrars	90	114	*24	26·66
TOTALS	863	903	*40	4·63

From the foregoing it will be observed that the marriages celebrated by the Church of England have slightly increased, as have also those solemnized by Wesleyans, Primitive Methodists, Lutherans, and Baptists. The largest increase, however, is apparent in marriages performed by the District Registrars, which exhibit an addition to the number performed in 1868 of 24. This, in a great measure, may be attributed to the small number of Clergymen residing or itinerating in the interior of the Colony. The Church of Rome has yet the largest number of marriages celebrated of any denomination, but there is a falling off in the number in 1869 compared with 1868. The same decrease is remarked in nearly all the other denominations not specified above, except the Presbyterians, who are only one behind the number registered in 1868.

Table No. 4, Appendix A, shows the number of marriages celebrated by each denomination in the various districts of the Colony during 1869.

The social condition of the parties married are classified as follows :—
724 bachelors to spinsters, 86 bachelors to widows, 59 widowers to spinsters, and 34 widowers to widows. The following shows the percentage of each class to the total number of marriages :—

Bachelors and Spinsters 80·18 per cent.
Bachelors and Widows 9·52 „
Widowers and Spinsters 6·53 „
Widowers and Widows 3·77 „

The Marriage returns for 1869 show that 15 males, or 1·66 per cent., and 215 females, or 23·82 per cent., were married under the age of 21 years. This result indicates the largest percentage of males married under age in this Colony since 1860. The relative percentage for each year is given below :—

Males.					Females.				
1860	3· 1 per cent....	29· 7 per cent.		
1861	1· 6 „	35· 8 „		
1862	1· 1 „	24· 4 „		
1863	0· 9 „	23· 6 „		
1864	0· 9 „	23· 3 „		
1865	1· 7 „	27· 3 „		
1866	1· 8 „	25· 6 „		
1867	0·53 „	22·78 „		
1868	1·16 „	24·00 „		
1869	1·66 „	23·82 „		

As it may be useful for future reference, the following table has been prepared, showing the number of marriages registered during each quarter of the year 1869 :—

	Church of Eng- land.	Church of Rome.	Presbyterians.	Wesleyan Methodists.	United Metho- dist Church.	Primitive Me- thodists.	Congregation- alists.	Baptists.	Particular Bap- tists.	Lutheran.	Hebrew Church	German Inde- pendents.	Bible Christians	District Regis- ters.	Total Registered during each Quarter.
1869.															
First Quarter ...	34	52	35	16	...	10	17	11	...	9	...	3	...	27	214
Second Quarter ...	22	75	42	23	1	2	10	10	...	16	36	237
Third Quarter ...	43	59	49	16	...	12	8	15	2	8	...	4	...	21	237
Fourth Quarter ...	47	44	34	10	...	9	15	4	1	18	...	2	1	30	215
TOTAL ...	146	230	160	65	1	33	50	40	3	51	...	9	1	114	903

From this it will be perceived that the number registered each quarter was nearly equal, the majority, however, being in the second and third quarters.

BIRTHS COMPARED WITH DEATHS.

Before proceeding to point out the facts especially deserving of notice, connected with the mortality amongst the population during the past year, it is desirable to institute a brief comparison between the births and deaths registered for that period.

As previously stated, the increase by excess of Births over Deaths was 2,893, viz., 1,263 males, and 1,630 females; a centesimal ratio of increase of 8·71 per cent. This result is satisfactory compared with 1868, in which year a falling off of 2·56 in the ratio of increase was apparent compared with 1867.

vi. REGISTRAR-GENERAL'S REPORT—VITAL STATISTICS.

The following table shows the Births registered in each district, compared with the Deaths in such district, during 1869 :—

TABLE showing the Number of BIRTHS and DEATHS, MALE and FEMALE, which have been Registered in each Registration District throughout the year 1869.

REGISTRATION DISTRICT.	BIRTHS.			DEATHS.			Excess of Births over Deaths.	Excess of Deaths over Births.
	Males.	Females.	Persons.	Males.	Females.	Persons.		
Banana	9	5	14	12	3	15	...	1
Bowen	36	39	75	39	14	53	22	...
Brisbane	705	664	1,369	249	191	440	929	...
Burke	9	2	11	23	2	30	...	19
Cape River	18	12	30	25	5	30
Cardwell	4	4	8	6	...	6	2	...
Condamine	11	7	18	8	1	9	9	...
Dalby	90	90	180	39	26	65	115	...
Drayton and Toowoomba	263	252	515	100	68	168	347	...
Gayndah	41	36	77	18	8	26	51	...
Gilbert River	1	1	2	17	3	20	...	18
Gladstone	21	21	42	10	4	14	28	...
Goondiwindi	12	7	19	2	3	5	14	...
Ipswich	260	224	484	81	53	134	350	...
Leyburn	23	14	37	13	4	17	20	...
Mackay	25	27	52	5	3	8	44	...
Maryborough (including Gympie)	301	292	593	123	63	191	402	...
Nanango	3	2	5	1	...	1	4	...
Nebo	5	5	10	8	2	10
Peak Downs	30	33	63	40	8	48	15	...
Princhester	5	2	7	2	2	4	3	...
Rockhampton	235	214	449	148	86	234	215	...
Roma	38	34	72	21	13	34	38	...
Somerset	2	...	2	2	...
Springure	17	17	34	17	3	20	14	...
St. George	16	18	34	10	4	14	20	...
St. Lawrence	6	8	14	4	1	5	9	...
Surat	10	12	22	5	...	5	17	...
Tambo	11	11	22	19	6	25	...	3
Taroom	10	12	22	17	2	19	3	...
Townsville	30	27	57	17	9	26	31	...
Warrego	8	12	20	13	1	14	6	...
Warwick	141	124	265	34	20	54	211	...
Woogaroo	16	14	30	13	4	17	13	...
TOTAL	2,412	2,242	4,654	1,149	612	1,761	2,934	41
Less excess of deaths in some districts							41	
TOTAL INCREASE							2,893	

DEATHS.

The number of Deaths registered during 1869 was 1,761, viz., 1,149 males, and 612 females, against 1,799 registered in 1868, thus exhibiting a numerical decrease of 38, and a centesimal ratio of decrease of 2.11 per cent. in the year first mentioned ; but as the population has increased in 1869, the rate of mortality must be considered to have decreased beyond the proportion indicated by the figures given above.

The next important fact for consideration is the causes which lead to the death of so many persons during last year. The following table contains the percentage of deaths for the last six years from each cause, classified in accordance with the tables in use in England and most of the adjoining colonies.

TABLE showing the Percentage which the several causes of DEATH bear to the whole DEATHS in each year, from 1864 to 1869.

		PERCENTAGE.					
		1864.	1865.	1866.	1867.	1868.	1869.
Class I. ZYMOTIC DISEASES.							
1.	Miasmatic Diseases.—Scarlatina, Diptheria, Dysentery, Fevers, &c.	28.70	29.54	36.33	25.73	26.35	23.17
2.	Enthetic Diseases.—Syphilis, &c.	0.21	0.40	0.42	0.06	0.22	0.69
3.	Dietic Diseases.—Privation, Scurvy, Delirium Tremens, &c.	1.80	1.44	1.61	0.86	1.61	1.07
4.	Parasitic Diseases.—Thrush, Worms, &c.	0.55	1.04	0.51	0.75	0.28	0.45
Class II. CONSTITUTIONAL DISEASES.							
1.	Diathetic Diseases.—Gout, Dropsy, Cancer, &c.	2.14	1.73	1.91	2.80	3.28	2.21
2.	Tubercular Diseases.—Scrofula, Phthisis, Hydrocephalus, &c.	6.92	7.70	7.41	8.25	9.00	8.99
Class III. LOCAL DISEASES.							
1.	Diseases of the Nervous System.—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c.	9.41	8.66	10.46	13.87	13.00	14.31
2.	Diseases of the Organs of Circulation.—Aneurism, Heart Disease, &c.	2.97	3.06	2.92	3.33	3.28	4.05
3.	Respiratory System.—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	4.36	4.27	3.64	5.79	5.23	5.39
4.	Digestive Organs.—Gastritis, Enteritis, Peritonitis, Hernia, &c.	4.15	3.92	4.10	5.04	4.50	4.49
5.	Urinary Organs.—Nephritis, Ischuria, Diabetes, &c.	0.69	0.23	0.51	0.40	0.61	0.61
6.	Organs of Generation.—Ovarian Dropsy, Uterus Disease, &c.	0.11	0.13	0.17	0.22	0.11
7.	Joints.—Arthritis, Ostitis, Periostitis, &c.	0.14	0.23	0.13	0.11	0.06	0.06
8.	Integumentary System.—Phlegmon, Ulcer, Skin Disease, &c.	0.07	...	0.17	0.23	0.17	0.11
Class IV. DEVELOPMENTAL DISEASES.							
1.	Diseases of Children.—Cyanosis, Teething, &c.	5.05	7.33	4.61	5.33	5.50	5.34
2.	Adults.—Paramenia, Childbirth, &c.	0.82	1.15	0.76	0.92	0.72	1.59
3.	Old People, Old Age, &c.	1.87	0.69	1.19	1.72	2.22	1.47
4.	Nutrition.—Atrophy, Debility, &c.	4.63	8.89	8.21	7.39	8.45	8.40
Class V. VIOLENCE.							
1.	Accident or Negligence.—Fractures, Contusions, Burns, Drowning, Suffoca- tion, Wounds, &c.	12.03	9.35	6.64	9.80	9.67	10.62
2.	Wounds in Battle.—Gunshot Wounds, Sword, Bayonet, or other Wounds	0.98	0.63	0.34	0.61	0.51
3.	Homicide.—Murder and Manslaughter	1.31	0.98	0.63	0.34	0.61	0.51
4.	Suicide.—Poison, Drowning, Hanging, &c.	1.24	0.40	0.82	0.46	0.45	0.51
5.	Execution.—Hanging	0.07	...	0.04	...	0.06	0.17
Deaths, cause not ascertained	...	0.21	1.33	0.17	0.29	0.11	0.06
Unspecified or ill-defined	...	10.65	7.73	6.69	5.79	4.40	5.05

The greatest possible care was exercised in preparing and checking the tables from which the preceding one has been compiled. To the medical gentlemen in the various districts of the Colony the public are indebted for the valuable assistance they have afforded in certifying to the causes of deaths in all cases where they have been employed professionally, but much yet remains to be done to render the classification more complete—especially in cases where magisterial enquiries are held. Great difficulties are felt in preparing tables of the kind, from the frequency which magistrates, as a rule, in filling up the form of “Information for District Registrar,” use such terms as “Natural Causes,” “Visitation of God,” “Inflammation,” “Accident,” &c., &c., words which, if possible, ought never to be used in describing cause of death.

A careful study of the table given above will show that of the 1st Class,

ZYMOTIC DISEASES,

the diseases classified under the 1st Order, Miasmatic, have usually been very fatal; but it is gratifying to perceive, that notwithstanding the annual increase in the population, the proportion of deaths included in that order, and indeed in all others in the Class Zymotic, are gradually decreasing. In this class the various diseases named fluctuate from year to year, and sometimes assume the character of epidemics, induced, no doubt, in populous localities, by neglect in sanitary arrangements. The gradual diminution in that class of disease, noticed above, tends to show that as the population, particularly in our large towns, gain experience of the effects of this climate, they are more careful in making proper sanitary provisions, such as drainage, &c., and some have succeeded in securing a supply of water which, both in quantity and quality, is vastly superior to that used some years since. Much, however, yet remains to be done in that direction. Diarrhœa, dysentery, and fevers, are by far the most prevalent in the Miasmatic order, particularly amongst children, and, on this subject, Dr. Farr, in his exhaustive letter to the Registrar-General of England on causes of death in that country in 1868, attributes the prevalence of the disease first mentioned, in that year, to the bad quality of the water used in many towns in the kingdom.

From the diseases classed as No. 2,

CONSTITUTIONAL,

a comparatively small proportion of deaths occur, and there can be no question that the percentage under Order 2, Tubercular Diseases, would not be nearly so great were it not that many persons suffering from phthisis come from other colonies in an almost hopeless state of health, trusting that the salubrious nature of this climate may be of service to them, but ultimately die here, causing the rate of mortality under that head to be greater than would otherwise be the case.

Of the 3rd Class,

LOCAL DISEASES,

by far the most numerous deaths take place—first, from diseases of the nervous system, and, secondly, from those of the respiratory system.

It may not be uninteresting to notice that the climate seems to have no effect in lessening the proportion of deaths in this class, as the percentage is also greatest in England, where, in 1868, over 123,000 died from diseases under this head.

Under Class No. 4,

DEVELOPMENTAL DISEASES,

or diseases incidental to the processes of reproduction, development, decay, and growth, deaths classified under Orders Nos. 1 and 4 are still the most numerous. The greater number who died from the causes included under the orders mentioned are children, and the proportion is nearly the same for the last five years.

With respect to Class No. 5,

VIOLENT DEATHS,

the proportion of those resulting from accident or negligence is very large when the number of our population is taken into consideration. No less than 166 males and 21 females died from this cause in 1869, being a percentage of 10·62 to the total deaths. Drowning, and accidents caused by horses, seem to be the most numerous of deaths classified as above.

It is satisfactory to remark that the proportion in the number of deaths, the causes of which are either unascertained, ill-defined, or unspecified, is decreasing, as it adds to the value of the tables the smaller the number appearing under these heads. A little more care on the part of District Registrars in ascertaining the actual cause of death in each case, and somewhat more assistance afforded to them by magistrates and others in supplying proper information, would reduce the proportion to a mere nominal figure. In Brisbane District, 1869, the percentage under these heads was only 0·73.

PROPORTION OF DEATHS ACCORDING TO SEXES.

Attention is directed to the proportion of each sex which died during the year, and as the number has been previously given, it is merely necessary to state that the deaths of females were only in the ratio of 53·26 to each 100 deaths of males. The decrease in the percentage of females who died to every 100 males during the last five years, is manifest from the following table:—

1865	75·58 per cent.
1866	63·39 „
1867	60·39 „
1868	54·42 „
1869	53·26 „

The mortality amongst our population was greatest during the first quarter of the year, our hottest season, in which period 539 deaths were registered. The next largest number of deaths was recorded in the second quarter, namely, 488; and in the third and fourth quarters, 342 and 392 were the respective numbers registered.

As the seasons may, to a certain extent, have some influence on the death rate, the reader is referred to the meteorological tables published as Appendix B to this Report. Upon examining these tables it will be seen, from the observations taken in Brisbane, where the summer is generally cooler than in the remainder of the colony, that the mean maximum of the thermometer in the sun, during the first six months of 1869, was 112·5, with a rainfall of 39·83 inches; that during the last six months, the mean maximum of the thermometer was 113·2, with a rainfall of 14·53 inches; that the mean minimum of the thermometer in the shade during the first period above-mentioned, was 56·6, and during the latter period, was 53·7. The Registrar-General of England observes, that in that country, during the third quarter of 1868, the mean temperature of the season was 3 degrees above the average; the quantity of rain which fell during the same time was deficient to the amount of 2·5 inches, and that the mortality of that quarter of 1868 was 3·27 per 1,000 above the average.

The population of this colony is so migratory in its character, that it is scarcely possible to arrive at a fair criterion of the percentage of increase or decrease of deaths which take place in any one locality; but it may be well to point out, that amongst the centres of our population, the districts of Brisbane, Ipswich, Drayton and Toowoomba, Gayndah, Warwick, and Townsville, show a marked decrease in the percentage of deaths; while Rockhampton, Maryborough, Leyburn, and Cape River, exhibit an increase in the percentage, but not to any very great degree.

INFANTILE MORTALITY.

The next subject for consideration, is the mortality of children. The subjoined table shows the deaths which took place amongst children under five years of age.

TABLE showing the NUMBER of DEATHS of CHILDREN, under FIVE YEARS of AGE, Registered in the Years 1868 and 1869.

REGISTRATION DISTRICT.	1868.			1869.			Increase* or Decrease† in the Deaths of Children under two years of age.	Increase* or Decrease† in the Deaths of Children, two years and under five years.	Total Increase* or Decrease† in the Deaths of Children under five years of age.
	Under two years.	Two and under five years.	Total under five years.	Under two years.	Two and under five years.	Total under five years.			
Banana	1	...	1	2	2	4	*11	* 2	* 3
Bowen	12	4	16	18	1	19	* 6	† 3	* 3
Brisbane	235	35	270	198	30	228	†37	† 5	†42
Burke	1	...	1	4	...	4	* 3	...	* 3
Cape River	4	1	5	8	2	10	* 4	* 1	* 5
Cardwell	1	...	1	1	...	1
Condamine	1	...	1	5	...	5	* 4	...	* 4
Dalby	23	2	25	30	5	35	* 7	* 3	*10
Drayton and Too- woomba	86	35	121	88	13	101	* 2	†22	†20
Gayndah	9	1	10	10	2	12	* 1	* 1	* 2
Gilbert River	2	1	3	* 2	* 1	* 3
Gladstone	6	1	7	4	...	4	† 2	† 1	† 3
Goondiwindi	2	...	2	2	...	2
Ipswich	95	17	112	60	11	71	†35	† 6	†41
Leyburn	2	2	5	4	9	* 5	* 2	* 7
Mackay	6	...	6	* 6	...	* 6
Maryborough (in- cluding Gympie)	83	15	98	95	8	103	*12	† 7	* 5
Nanango	2	...	2	† 2	...	† 2
Nebo	3	...	3	* 3	...	* 3
Peak Downs	6	7	13	10	3	13	* 4	† 4	...
Princhester	1	1	2	* 1	* 1	* 2
Rockhampton	98	16	114	108	9	117	*10	† 7	* 3
Roma	18	3	21	10	...	10	† 8	† 3	†11
Somerset
Springsure... ..	4	2	6	1	2	3	† 3	...	† 3
St. George... ..	4	1	5	3	2	5	† 1	* 1	...
St. Lawrence	3	...	3	1	1	2	* 2	* 1	* 3
Surat	2	...	2	† 2	...	† 2
Tambo	1	1	7	...	7	* 7	† 1	* 6
Taroom	5	...	5	* 5	...	* 5
Townsville... ..	10	...	10	15	...	15	* 5	...	* 5
Warrego	4	...	4	2	...	2	† 2	...	† 2
Warwick	33	6	39	19	2	21	†14	† 4	†18
Woogaroo	3	...	3	4	1	5	* 1	* 1	* 2
TOTAL	746	149	895	727	100	827	†19	†49	†68

It will be observed that there is a numerical decrease of 68 deaths of children under five years of age, in 1869, compared with 1868—of that decrease 19 were of those under two years of age, and 49 above two and under five years. There can be no doubt whatever that a large percentage of deaths of children under the age mentioned is traceable to the neglect of parents, want of proper nourishment, and to the ill-constructed, badly drained and ventilated dwellings of the poorer classes in towns. No argument is necessary to prove that, even in Brisbane, with the advantage of a large supply of pure water, the chances are greatly against the life of a child inhabiting some of the low-lying streets of that city. For instance, take part of Albert street, Adelaide street, and the lower part of South Brisbane and Fortitude Valley. Who will venture to say that the poisonous miasma arising from the stagnant pools and open sewers in these localities does not convey the cause of death to many a child living in such precincts? Annexed is a table showing the total deaths during each year, since 1860,

x. REGISTRAR-GENERAL'S REPORT—VITAL STATISTICS.

of children under five years of age, and the percentage such deaths bear to the total deaths of the year.

Year.						Total deaths of year.	Total deaths under five years.	Percentage of total deaths under five years to total deaths of the year.
1860	478	208	43·51
1861	500	188	37·60
1862	797	362	45·42
1863	1,275	623	49·25
1864	1,446	639	44·19
1865	1,733	903	55·10
1866	2,362	1,182	50·04
1867	1,745	947	54·21
1868	1,799	895	49·74
1869	1,761	827	46·96

This shows that for the last five years infantile mortality has slightly decreased, and, as before intimated, children are always the heaviest sufferers from insalubrity; it is, therefore, the more urgently required that means should be adopted whereby the death rate amongst that class of the population may be lessened, and a valuable portion of our community secured to the fullest extent possible against the ravages which disease and death has hitherto made amongst them.

MARINE BIRTHS AND DEATHS.

The Registration Act provides that commanders of all British and Colonial vessels shall furnish to the Health Officer or Chief Officer of Customs the particulars of every birth and death which shall have occurred on board the vessels under their command while at sea. These returns are afterwards forwarded to me, and the table given underneath contains the number of such registrations made in my office during the year 1869.

TABLE showing the Number of BIRTHS and DEATHS which occurred at SEA, registered in Queensland, during 1869.

Year.						BIRTHS.			DEATHS.		
						Males.	Females.	Persons.	Males.	Females.	Persons.
1869	4	8	12	15	7	22

METEOROLOGY.

Appendix B to this Report contains Meteorological Tables for the year 1869. They are most interesting to all classes, but more particularly so to the scientific and agricultural portion of the community. It is not necessary here to offer any remarks upon them, as they form the subject of a Report by the Government Meteorological Observer, which is prefixed to the tables mentioned, and to which I beg leave to refer those interested in the matter.

I have the honor to be,

Sir,

Your most obedient Servant,

HENRY SCOTT,

Registrar-General.

APPENDIX TO REGISTRAR-GENERAL'S REPORT ON THE VITAL STATISTICS OF QUEENSLAND FOR THE YEAR 1869.

Table No. I.

SYNOPSIS of the VITAL STATISTICS of QUEENSLAND, from the Year 1856 to 1869 inclusive.

[illegible]

POPULATION.

Table No. II.

BIRTHS, MARRIAGES, and DEATHS Registered in the COLONY of QUEENSLAND, during the Year 1869, and the ESTIMATED POPULATION on the last day of that year.

Estimated Population, 31st December, 1868.			Births in 1869.			Marriages in 1869.	Deaths in 1869.			Estimated Population, 31st December, 1869.			Estimated Mean Population for the year 1869.		
Males.	Females.	Persons.	Males.	Females.	Persons.		Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
65,843	41,584	107,427	2,412	2,242	4,654	903	1,149	612	1,761	66,571	43,326	109,897	66,207	42,455	108,662

Table No. III.

RETURN showing the NUMBER of BIRTHS Registered in each Quarter of the Year 1869.

REGISTRATION DISTRICT.				FIRST QUARTER.		SECOND QUARTER.		THIRD QUARTER.		FOURTH QUARTER.		TOTAL OF EACH SEX.		GRAND TOTAL.
				Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
Banana	3	2	2	1	2	1	2	1	9	5	14
Bowen	8	11	7	8	12	14	9	6	36	39	75
Brisbane	157	143	193	193	184	165	166	163	705	664	1,369
Burke	4	1	2	1	3	...	9	2	11
Cape River	2	3	4	1	11	6	...	2	18	12	30
Cardwell	1	1	...	1	3	2	4	4	8
Condamine	1	6	3	1	...	4	3	11	7	18
Dalby	19	18	20	31	32	28	19	13	90	90	180
Drayton and Toowoomba	56	59	69	63	72	71	66	59	263	252	515
Gayndah	5	5	17	14	5	8	14	9	41	36	77
Gilbert River	1	1	...	1	1	2
Gladstone	8	7	6	3	4	7	3	4	21	21	42
Goondiwindi	1	3	5	1	4	2	2	1	12	7	19
Ipswich	65	45	70	55	62	65	63	59	260	224	484
Leyburn	5	4	4	2	8	5	6	3	23	14	37
Mackay	6	9	4	8	5	5	10	5	25	27	52
Maryborough	46	51	95	79	89	84	71	78	301	292	593
Nanango	1	...	2	2	3	2	5
Nebo	1	1	1	3	1	...	2	1	5	5	10
Peak Downs	5	10	7	8	11	11	7	4	30	33	63
Princhester	1	1	2	...	1	1	1	...	5	2	7
Rockhampton	52	59	64	60	60	53	59	42	235	214	449
Roma	6	5	13	12	11	12	8	5	38	34	72
Somerset	2	2	...	2
SpringSURE	9	4	1	3	5	6	2	4	17	17	34
St. George	7	2	5	5	1	6	3	5	16	18	34
St. Lawrence	3	3	...	1	1	2	4	6	8	14
Surat	1	3	1	6	2	2	6	1	10	12	22
Tambo	1	2	5	5	3	2	2	2	11	11	22
Taroom	2	3	3	2	...	2	5	5	10	12	22
Townsville	9	7	6	6	10	9	5	5	30	27	57
Warrego	3	1	3	5	2	6	8	12	20
Warwick	36	29	23	26	43	41	39	28	141	124	265
Woogaroo	8	4	...	1	4	4	4	5	16	14	30
TOTAL				529	495	647	603	646	619	590	525	2,412	2,242	4,654
Total Births during each Quarter				1,024		1,250		1,265		1,115		4,654		

Table No. IV.

RETURN showing the NUMBER of MARRIAGES Registered during the Year 1869

REGISTRATION DISTRICT.	Church of England.	Church of Rome.	Presbyte-rian and United Pres-byterian.	Wesleyan Methodist.	Primitive Methodist.	United Me-thodist—Free Church.	Congrega-tional.	Baptist.	Particular Baptist.	Lutheran.	Hebrew Church.	German Independ-ent.	Bible Chris-tians.	Registra-tion Act.	TOTAL in 1869.
Banana	1	1	2
Bowen	11	3	9	23
Brisbane	56	59	72	24	8	1	15	16	3	22	1	10	237
Burke	3	3
Cape River	5	5
Cardwell	2	2
Condamine	1	3
Dalby	4	11	2	9	1	27
Drayton and Toowoomba	7	43	7	7	9	7	...	7	...	2	89
Gayndah	3	6	...	1	...	1	...	1	12
Gilbert River	Nil.
Gladstone	7	4	11
Goondiwindi	3	3
Ipswich	12	24	4	15	5	...	4	11	11	86
Leyburn	4	4
Mackay	5	2	5	12
Maryborough	16	19	25	14	4	18	...	8	2	106
Nanango	Nil.
Nebo	1	4	5
Peak Downs	1	4	3	11	19
Princhester	Nil.
Rockhampton	9	42	28	3	15	...	6	1	104
Roma	3	13	16
Somerset	Nil.
SpringSURE	1	2	3	2	8
St. George	1	2	3
St. Lawrence	3	3
Surat	3	3
Tambo	1	4	5
Taroom	2	2
Townsville	5	3	8	16
Warrego	1	1
Warwick	8	18	6	2	2	3	39
Woogaroo	4	4
Total of each Denomination	146	230	160	65	33	1	50	40	3	51	...	9	1	114	903

POPULATION—continued.

Table No. V.

RETURN showing the NUMBER of DEATHS Registered in each QUARTER of the Year 1869.

REGISTRATION DISTRICT.	FIRST QUARTER.		SECOND QUARTER.		THIRD QUARTER.		FOURTH QUARTER.		TOTAL OF EACH SEX.		GRAND TOTAL.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
Banana	3	1	4	1	2	1	3	...	12	3	15
Bowen	11	7	15	3	6	2	7	2	39	14	53
Brisbane	66	53	60	51	54	36	69	51	249	191	440
Burke	9	...	7	1	6	1	6	...	28	2	30
Cape River	12	...	6	3	5	1	2	1	25	5	30
Cardwell	2	...	1	...	3	...	6	...	6
Condamine	1	...	5	1	1	...	1	...	8	1	9
Dalby	14	11	12	9	8	5	5	1	39	26	65
Drayton and Toowoomba	31	25	24	18	19	13	26	12	100	68	168
Gaydah	7	2	7	2	1	4	3	...	18	8	26
Gilbert River	3	...	7	3	7	...	17	3	20
Gladstone	4	3	3	...	1	1	3	...	10	4	14
Goondiwindi	1	...	1	2	3	5
Ipswich	16	16	21	14	23	12	21	11	81	53	134
Leyburn	6	3	1	...	3	1	3	...	13	4	17
Mackay	2	2	1	...	2	1	5	3	8
Maryborough	39	23	37	12	21	11	31	17	128	63	191
Nanango	1	1	...	1
Nebo	4	1	2	1	1	...	1	...	8	2	10
Peak Downs	9	3	14	4	10	1	7	...	40	8	48
Princhester	1	1	1	...	1	1	2	2	4
Rockhampton	50	36	43	27	28	11	27	12	148	86	234
Roma	4	3	2	6	10	1	5	3	21	13	34
Somerset
Springsure	2	1	6	1	3	1	6	...	17	3	20
St. George	5	2	3	1	2	1	10	4	14
St. Lawrence	1	1	...	2	1	4	1	5
Surat	2	...	2	...	1	5	...	5
Tambo	5	2	8	2	3	...	3	2	19	6	25
Taroom	3	1	12	1	1	...	1	...	17	2	19
Townsville	4	2	5	4	3	...	5	3	17	9	26
Warrego	5	...	3	...	1	1	4	...	13	1	14
Warwick	10	9	9	3	4	3	11	5	34	20	54
Woogaroo	4	1	4	2	1	...	4	1	13	4	17
TOTAL	330	209	320	168	231	111	268	124	1,149	612	1,761
Total Deaths during each Quarter	539		488		342		392		1,761		

Table No. VI.

RETURN showing the NUMBER of DEATHS of CHILDREN, Male and Female, under FIVE YEARS of AGE, Registered during the Year 1869.

REGISTRATION DISTRICT.	UNDER TWO YEARS.		TWO YEARS AND UNDER FIVE YEARS.		TOTAL UNDER FIVE YEARS.		TOTAL NUMBER OF DEATHS IN EACH DISTRICT UNDER FIVE YEARS.
	Male.	Female.	Male.	Female.	Male.	Female.	
Banana	2	1	1	1	3	4
Bowen	11	7	...	1	11	8	19
Brisbane	104	94	15	15	119	109	228
Burke	3	1	3	1	4
Cape River	6	2	2	...	8	2	10
Cardwell	1	1	...	1
Condamine	4	1	4	1	5
Dalby	15	15	3	2	18	17	35
Drayton and Toowoomba	45	43	10	3	55	46	101
Gaydah	5	5	2	...	7	5	12
Gilbert River	2	1	2	1	3
Gladstone	3	1	3	1	4
Goondiwindi	2	2	...	2
Ipswich	36	24	7	4	43	28	71
Leyburn	4	1	4	...	8	1	9
Mackay	4	2	4	2	6
Maryborough (including Gympie)	56	39	4	4	60	43	103
Nanango	Nil.
Nebo	2	1	2	1	3
Peak Downs	4	6	3	...	7	6	13
Princhester	1	1	1	...	1	1	2
Rockhampton	57	51	4	5	61	56	117
Roma	3	7	3	7	10
Somerset	Nil.
Springsure	1	...	2	...	3	3
St. George	2	1	1	1	3	2	5
St. Lawrence	1	1	...	1	1	2
Surat	Nil.
Tambo	2	5	2	5	7
Taroom	3	2	3	2	5
Townsville	8	7	8	7	15
Warrego	1	1	1	1	2
Warwick	9	10	1	1	10	11	21
Woogaroo	4	...	1	...	5	...	5
TOTAL	396	331	60	40	456	371	827

SUMMARY of DEATHS of MALES in the Colony of QUEENSLAND, during the Year 1869.

CAUSES OF DEATH.											Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.	Per centage on Total Deaths.								
I.—Zymotic Diseases.																																									
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c.											69	45	15	7	3	139	3	2	6	10	19	22	15	12	7	8	7	4	5	1	...	14	274	15.33							
2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c.											1	1	1	...	1	2	...	1	...	1	...	1	3	11	0.62				
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.											2	2	2	1	1	5	15	0.85			
4. Parasitic Diseases—Thrush, Worms, &c.											6	6	1	7	0.40		
TOTAL											78	45	15	7	3	148	3	2	6	11	21	25	18	12	9	9	8	6	5	2	...	22	307								
II.—Constitutional Diseases.																																									
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.	1	1	2	2	3	2	1	4	4	4	1	24	1.36				
2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c. ...											9	4	2	2	...	17	1	1	3	10	9	18	10	10	6	3	2	1	...	1	...	1	...	1	...	1	7	100	5.67		
TOTAL											9	5	2	2	...	18	3	1	3	12	12	20	11	14	10	7	2	1	1	1	1	1	1	7	124						
III.—Local Diseases.																																									
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Con-											77	13	5	1	1	97	3	1	5	7	5	6	5	2	3	3	3	140	7.95		
vulsions, Ophthalmia, Brain Disease, &c.											1	1	2	1	...	6	9	11	8	10	2	4	2	55	3.12				
2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c. ...											14	6	1	2	...	23	2	...	2	...	6	4	6	4	3	7	2	3	3	3	3	3	3	2	3	73	4.15				
3. " Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c. ...											15	2	2	2	...	21	2	5	4	3	1	1	4	3	1	45	2.56				
4. " Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.	2	1	...	1	1	...	2	1	1	1	10	0.57				
5. " Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	1		
6. " Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.	1	1	0.06	
7. " Joints—Arthritis, Ostitis, Periostitis, &c.	
8. " Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.
TOTAL											107	22	8	5	1	143	5	...	3	1	21	26	26	22	21	12	15	10	3	3	3	10	324								
IV.—Developmental Diseases.																																									
1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c.											38	12	1	51	...	1	52	2.95		
2. " Adults—Paramenia, Childbirth, &c.	19	1.08	
3. " Old People—Old Age, Senile Decay, &c.	1	4	5	1	7	2	68	3.86			
4. " Nutrition—Atrophy, Debility											43	7	3	...	2	55	1	...	3	4	2	
TOTAL											81	19	4	...	2	106	...	1	1	...	3	4	3	1	...	4	6	1	7	2	139								
V.—Violence.																																									
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.											5	6	4	3	1	19	11	7	6	19	15	18	19	10	8	5	1	8	1	19	166	9.42			
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds	1	9	0.51
3. Homicide—Murder and Manslaughter	1	1	3	1	3	8	0.45	
4. Suicide—Poison, Drowning, Hanging, &c.	1	1	...	1	3	0.17	
5. Execution—Hanging
TOTAL											5	6	4	3	1	19	12	8	6	20	17	24	22	10	8	5	1	8	1	25	186								
Sudden Deaths, cause not ascertained	1	1	0.06	
Deaths, cause ill-defined											8	...	1	1	1	13	...	1	1	3	...	2	2	2	5	29	1.65	
Deaths, cause unspecified											8	1	9	1	3	6	...	2	1	...	2	2	13	39	2.21		
TOTALS FROM ALL CAUSES											296	100	34	18	8	456	23	13	19	44	72	99	89	62	56	35	26	33	19	7	12	84	1,149								

No. 2 of Table No. 7.

SUMMARY of DEATHS of FEMALES in the Colony of QUEENSLAND during the Year 1869.

CAUSES OF DEATH.												Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.	Per centage on Total Deaths.					
I.—Zymotic Diseases.																																							
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c.												51	30	7	3	4	95	5	2	4	4	8	12	...	4	3	1	...	1	2	1	...	2	144	8.18				
2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c.												1	1	0.06		
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.												1	4	0.23		
4. Parasitic Diseases—Trush, Worms, &c.												1	1	1	0.06	
TOTAL ...												52	30	7	3	4	96	5	2	4	5	8	13	1	5	3	2	...	1	2	1	...	2	150					
II.—Constitutional Diseases.																																							
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.												2	2	1	2	1	...	1	...	2	3	...	1	...	2	15	0.85		
2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.												7	3	...	2	...	12	1	9	15	12	2	1	...	3	1	1	1	58	3.29	
TOTAL ...												9	3	...	2	...	14	2	11	16	12	3	1	2	6	1	2	...	2	1	73			
III.—Local Diseases.																																							
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.												61	21	5	4	1	92	3	3	4	1	...	2	2	1	1	1	2	112	6.36	
2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c.												2	2	3	...	3	1	1	4	1	1	16	0.90	
3. Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.												6	4	1	2	...	13	1	1	1	1	2	...	2	1	22	1.25	
4. Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.												7	3	1	2	...	13	3	2	3	3	3	2	2	1	2	34	1.93	
5. Urinary Organs—Nephritis, Ischuria, Diabetes, &c.												...	1	1	1	0.06
6. Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.												1	1	2	0.11	
7. Joints—Arthritis, Ostitis, Periostitis, &c.											
8. Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.												...	1	1	1	2	0.11
TOTAL ...												74	30	9	8	1	122	8	...	3	5	10	6	7	9	6	3	2	3	1	2	...	2	2	189		
IV.—Developmental Diseases.																																							
1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c.												24	18	42	42	2.38	
2. Adults—Paramenia, Childbirth, &c.												3	9	11	2	3	28	1.59		
3. Old People—Old Age, Senile Decay, &c.												1	1	2	2	1	7	0.40		
4. Nutrition—Atrophy, Debility												62	10	1	...	1	74	2	1	1	...	1	1	80	4.54	
TOTAL ...												86	28	1	...	1	116	5	10	11	2	3	1	...	2	1	2	2	1	1	1	157		
V.—Violence.																																							
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.												2	4	2	2	...	10	3	1	...	1	1	...	1	...	2	1	1	21	1.19		
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds												
3. Homicide—Murder and Manslaughter												
4. Suicide—Poison, Drowning, Hanging, &c.												1	1	0.06	
5. Execution—Hanging												
TOTAL ...												2	4	2	2	...	10	3	1	...	1	1	...	1	1	2	1	1	22		
Sudden Deaths, cause not ascertained												
Deaths, cause ill-defined												3	3	1	1	1	0.34	
Deaths, cause unspecified												6	4	10	1	1	...	1	1	15	0.85	
TOTALS FROM ALL CAUSES ...												232	99	19	15	6	371	16	3	9	27	47	43	14	20	15	11	6	8	6	8	1	7	612			

SUMMARY of DEATHS of MALES and FEMALES, in the COLONY of QUEENSLAND, during the Year 1869.

CAUSES OF DEATH.																	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.	Per centage on Total Deaths.				
I.—Zymotic Diseases.																																											
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c.																	120	75	22	10	7	234	8	4	10	14	27	34	15	16	10	9	7	5	7	2	...	16	418	23.17			
2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c.																	1	1	2	...	1	2	...	1	...	1	1	3	12	0.68			
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.																	2	2	2	3	1	1	1	2	...	1	...	1	5	19	1.07		
4. Parasitic Diseases—Thrush, Worms, &c.																	7	7	1	8	0.45	
TOTAL ...																	130	75	22	10	7	244	8	4	10	16	29	38	19	17	12	11	8	7	7	3	...	24	457				
II.—Constitutional Diseases.																																											
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.																	2	1	3	2	...	1	4	4	2	2	4	6	7	...	1	1	2	39	2.21		
2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.																	16	7	2	4	...	29	1	1	4	19	24	30	12	11	6	6	3	2	...	1	...	1	...	1	8	158	8.98
TOTAL ...																	18	8	2	4	...	32	3	1	5	23	28	32	14	15	12	13	3	3	1	3	1	8	197				
III.—Local Diseases.																																											
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Con- vulsions, Ophthalmia, Brain Disease, &c.																	138	34	10	5	2	189	6	4	9	8	5	8	7	3	4	3	...	1	...	5	252	14.31			
2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c.																	1	1	2	4	4	...	9	10	12	12	10	2	4	1	...	1	...	2	71	4.05			
3. " Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c....																	20	10	2	4	...	36	3	...	2	1	7	5	8	4	5	7	2	3	4	3	2	3	95	5.39			
4. " Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.																	22	5	3	4	...	34	3	4	8	7	6	3	3	5	5	1	79	4.49			
5. " Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	1	1	2	1	...	1	1	...	2	1	1	1	11	0.62				
6. " Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.	1	1	...	1	1	2	0.11		
7. " Joints—Arthritis, Ostitis, Periostitis, &c.	1	1	0.06			
8. " Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.	1	1	1	2	0.11			
TOTAL ...																	181	52	17	13	2	265	13	...	6	6	31	32	33	31	27	15	17	13	4	5	3	12	513				
IV.—Developmental Diseases.																																											
1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c....																	62	30	1	93	...	1	2	3	94	5.34			
2. " Adults—Paramenia, Childbirth, &c.	3	9	11	28	1.59				
3. " Old People—Old Age, Senile Decay, &c.	1	1	1	5	7	3	8	...	26	1.47			
4. " Nutrition—Atrophy, Debility ...																	105	17	4	...	3	129	2	2	...	3	4	3	...	1	...	1	3	148	8.40			
TOTAL ...																	167	47	5	...	3	222	...	1	...	5	11	11	5	7	4	1	2	5	8	3	8	3	296				
V.—Violence.																																											
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.																	7	10	6	5	1	29	14	8	6	20	16	18	20	10	10	5	1	8	1	1	1	19	187	10.62			
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds	3	3	...	9	0.51		
3. Homicide—Murder and Manslaughter	1	1	1	1	3	9	0.51			
4. Suicide—Poison, Drowning, Hanging, &c.	1	1	...	1	1	3	0.17			
5. Execution—Hanging	1	1	...	1	3	0.17			
TOTAL ...																	7	10	6	5	1	29	15	9	6	21	18	24	23	11	10	5	1	8	1	1	1	25	208				
Sudden Deaths, cause not ascertained	1	1	35	0.6		
Deaths, cause ill-defined ...																	11	2	1	1	1	16	...	1	1	1	3	...	2	...	1	2	6	1.99				
Deaths, cause unspecified ...																	14	5	19	1	...	1	4	6	1	3	1	...	3	2	13	54	3.07			
TOTALS FROM ALL CAUSES ...																	528	199	53	33	14	827	39	16	28	71	119	142	103	82	71	46	32	41	25	15	13	91	1,761				

No. 4 of Table No. 7.

SUMMARY of DEATHS of MALES and FEMALES registered in the Colony of QUEENSLAND, during each Month of the Year 1869.

										JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTAL.			
CAUSES OF DEATH.										Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
I.—Zymotic Diseases.																																					
1. Miasmatic Diseases—Scarlatina, &c. ...										24	15	37	18	32	19	35	26	27	13	28	10	17	10	14	7	11	5	8	5	16	5	25	11	274	144		
2. Enthetic Diseases—Syphilis, &c. ...										2	1	3	1	1	...	1	1	1	1	1	1	3	...	3	...	11	1		
3. Dietic Diseases—Privation, &c....										2	1	3	1	1	...	1	1	1	1	1	3	...	3	...	15	4		
4. Parasitic Diseases—Thrush, &c.										2	1	2	2	1	7	1			
TOTAL										28	16	43	20	33	19	39	27	28	13	30	10	18	10	14	8	13	5	9	6	21	5	31	11	307	150		
II.—Constitutional Diseases.																																					
1. Diathetic Diseases—Gout, &c. ...										3	1	2	2	...	1	5	2	1	3	3	2	1	2	2	...	2	...	2	1	3	1	24	15		
2. Tubercular Diseases—Scrofula, &c. ...										10	7	6	5	12	6	2	5	10	4	6	5	8	3	8	8	11	2	8	1	7	4	12	8	100	55		
TOTAL										13	8	8	7	12	7	2	5	15	6	7	8	11	5	9	10	13	2	10	1	9	5	15	9	124	73		
III.—Local Diseases.																																					
1. Diseases of the Nervous System—Apoplexy, &c. ...										12	8	17	16	13	11	19	13	14	12	11	8	7	6	10	6	7	6	10	10	11	5	9	11	140	112		
2. " Organs of Circulation—Aneurism, &c. ...										7	1	3	2	6	2	3	1	2	...	3	2	5	1	4	1	4	1	5	1	8	3	5	1	55	16		
3. " Respiratory System—Bronchitis, &c. ...										1	3	3	...	5	1	8	1	8	3	7	2	10	4	8	...	6	3	4	4	6	...	7	1	73	22		
4. " Digestive Organs—Gastritis, &c. ...										5	9	3	2	3	4	3	1	4	2	4	1	4	2	4	3	3	2	1	1	4	2	7	5	45	34		
5. " Urinary Organs—Nephritis, &c.	3	...	1	...	2	1	4	10	1			
6. " Organs of Generation—Ovarian Dropsy, &c.	1	1	2		
7. " Joints—Arthritis, &c.	1	1		
8. " Integumentary System—Phlegmon, &c.	1	1	
TOTAL										25	22	29	20	28	18	35	16	28	17	25	13	26	15	30	10	20	12	21	16	29	11	28	19	324	189		
IV.—Developmental Diseases.																																					
1. Diseases of Children—Cyanosis, &c. ...										4	8	8	4	1	7	10	4	6	2	4	4	1	2	3	2	4	1	4	3	1	4	6	1	52	42		
2. " Adults—Paramenia, Childbirth, &c.	1	...	7	...	3	...	4	...	1	...	1	...	1	...	3	...	3	...	2	...	1	28	
3. " Old People—Old Age, &c. ...										1	...	1	...	3	...	2	...	4	3	1	1	...	1	...	3	...	1	1	1	...	19	7			
4. " Nutrition—Atrophy, Debility ...										6	7	3	7	9	15	10	8	5	10	3	5	3	1	3	4	7	5	3	6	6	7	10	5	68	80		
TOTAL										11	16	12	18	13	25	22	16	15	16	8	11	5	6	7	9	14	9	8	12	7	12	17	7	139	157		
V.—Violence.																																					
1. Accident or Negligence—Fractures, &c. ...										20	4	18	2	11	3	18	...	7	2	12	2	8	2	11	1	14	1	16	1	7	2	24	1	166	21		
2. Wounds in Battle—Gunshot Wounds, &c.
3. Homicide—Murder, &c.	2	...	1	1	...	1	2	9	...
4. Suicide—Poison, &c. ...										1	2	2	1	1	1	...	1	...	8	1			
5. Execution—Hanging	2	...	1	3	
TOTAL										21	4	20	2	14	3	19	...	8	2	14	2	8	2	14	1	14	1	19	1	9	3	26	1	186	22		
Sudden Deaths, cause not ascertained	1	1	
Deaths, cause ill-defined ...										4	...	5	...	1	...	9	...	3	1	...	1	2	1	2	...	3	2	1	29	6			
Deaths, cause unspecified ...										3	...	2	3	4	1	4	1	1	2	8	1	2	...	3	3	...	2	1	3	2	4	1	39	15			
TOTALS FROM ALL CAUSES										105	66	119	70	106	73	130	65	98	57	92	46	72	39	79	41	80	31	69	37	78	38	121	49	1,149	612		

SUMMARY of DEATHS of MALES in BRISBANE, during the Year 1869.

CAUSES OF DEATH.														Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.				
I.—Zymotic Diseases.																																							
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. ...														20	12	2	4	...	33	1	1	2	2	4	2	1	1	1	1	1	1	1	56		
2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c. ...														1	1	1	2	
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.	1	1	
4. Parasitic Diseases—Thrush, Worms, &c. ...														1	1	1	1
TOTAL														22	12	2	4	...	40	1	1	2	2	4	2	1	1	1	1	1	3	60		
II.—Constitutional Diseases.																																							
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.	1	1	2	1	1	1	1	1	8		
2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c. ...														5	3	1	9	4	3	7	3	...	2	1	1	1	1	32	
TOTAL														5	4	1	10	2	5	3	7	4	1	3	1	1	1	1	1	40		
III.—Local Diseases.																																							
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c. ...														12	2	4	18	1	3	1	...	2	1	26		
2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c.	3	1	2	2	2	...	2	12	
3. Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c. ...														5	2	...	1	...	8	1	1	1	1	1	...	1	1	...	1	...	15	
4. Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c. ...														2	2	1	1	1	2	6	
5. Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	1	1	...	1	1	5	
6. Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.	
7. Joints—Arthritis, Ostitis, Periostitis, &c.	1	1	
8. Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.	
TOTAL														19	4	4	1	...	23	4	6	4	2	5	2	8	2	...	1	1	2	65			
IV.—Developmental Diseases.																																							
1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c. ...														16	2	18	18	
2. Adults—Paramenia, Childbirth, &c.	
3. Old People—Old Age, Senile Decay, &c.	1	3	...	3	7		
4. Nutrition—Atrophy, Debility														12	1	1	...	1	15	15
TOTAL														28	3	1	...	1	33	1	3	...	3	40	
V.—Violence.																																							
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. ...														2	3	5	3	2	2	6	3	4	3	1	1	1	...	4	1	36		
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds														
3. Homicide—Murder and Manslaughter														
4. Suicide—Poison, Drowning, Hanging, &c.	
5. Execution—Hanging														
TOTAL														2	3	5	3	3	2	6	3	5	3	1	1	1	...	4	1	38		
Sudden Deaths, cause not ascertained															
Deaths, cause ill-defined...														1	1	2	1		
Deaths, cause unspecified														...	1	1	1	2	3		
TOTALS FROM ALL CAUSES														77	27	8	5	2	119	6	4	4	13	14	20	12	4	10	5	10	9	5	1	4	9	249			

No. II. of Table No. 8.
SUMMARY OF DEATHS OF FEMALES in BRISBANE during the Year 1869.

CAUSES OF DEATH.																Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.					
I.—Zymotic Diseases.																																										
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c....																16	7	3	2	1	29	1	1	1	1	2	2	...	1	...	1	1	1	41		
2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c.	1	
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.	
4. Parasitic Diseases—Thrush, Worms, &c.	
TOTAL																16	7	3	2	1	29	1	1	1	1	2	2	...	1	...	2	1	1	42		
II.—Constitutional Diseases.																																										
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.	1	1	3	1	6	
2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.																3	1	...	4	3	6	5	1	1	1	21	
TOTAL																3	1	...	4	4	7	5	1	4	1	1	27	
III.—Local Diseases.																																										
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c....																14	7	2	...	1	24	1	1	2	1	...	1	1	1	2	34	
2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c.	2	2	...	1	1	4	
3. " Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	1	1	2	1	...	2	1	3	
4. " Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.																2	1	1	4	1	1	1	...	1	2	12	
5. " Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	1	1	1	
6. " Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.	1	1	
7. " Joints—Arthritis, Ostitis, Periostitis, &c.	
8. " Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.																1	1	1	2	
TOTAL																17	10	4	...	1	32	3	...	2	1	4	...	3	3	1	3	1	3	1	...	1	...	1	...	1	2	57
IV.—Developmental Diseases.																																										
1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c.																5	7	12	1	3	1	3	12	
2. " Adults—Paramenia, Childbirth, &c.	8	
3. " Old People—Old Age, Senile Decay, &c.	5	
4. " Nutrition—Atrophy, Debility...																16	7	1	...	1	25	1	1	23	
TOTAL																21	14	1	...	1	37	1	2	3	1	3	1	...	1	...	1	2	1	1	...	53	
V.—Violence.																																										
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.																1	1	...	1	...	3	2	5	
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds																
3. Homicide—Murder and Manslaughter																
4. Suicide—Poison, Drowning, Hanging, &c....																
5. Execution—Hanging																
TOTAL																1	1	...	1	...	3	2	5	
Sudden Deaths, cause not ascertained																	
Deaths, cause ill-defined																2	2	4	1	1	1		
Deaths, cause unspecified																	
TOTALS FROM ALL CAUSES																60	34	8	4	3	109	6	1	3	7	15	10	5	8	1	9	4	1	3	4	2	3	191		

No. III. of Table No. 8.

SUMMARY of DEATHS of MALES and FEMALES, in BRISBANE, during the Year 1869.

CAUSES OF DEATH.																	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.						
I.—Zymotic Diseases.																																												
1. <i>Miasmatic Diseases</i> —Scarlatina, Diphtheria, Dysentery, Fevers, &c....																	36	19	5	6	1	67	2	2	3	3	6	4	1	1	...	2	1	1	2	1	...	1	...	1	...	97		
2. <i>Enthetic Diseases</i> —Hydrophobia, Syphilis, Glanders, &c.																	1	1	2	
3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c.	1	2
4. <i>Parasitic Diseases</i> —Thrush, Worms, &c.																	1	1	1
TOTAL																	38	19	5	6	1	69	2	2	3	3	6	4	1	1	...	3	1	1	2	1	...	3	...	1	102	
II.—Constitutional Diseases.																																												
1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c.	1	1	2	2	1	...	1	1	1	3	1	1	14		
2. <i>Tubercular Diseases</i> —Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.																	8	3	1	1	...	13	7	9	12	4	...	2	2	2	1	53	
TOTAL																	8	4	1	1	...	14	2	9	10	12	5	1	3	5	2	1	1	1	...	1	67		
III.—Local Diseases.																																												
1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c....																	26	9	6	...	1	42	1	1	3	3	...	1	1	1	3	1	3	...	60	
2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease, &c.	2	...	4	1	2	3	2	...	2	16	
3. <i>Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c.																	5	3	1	1	...	10	1	1	1	1	1	1	1	1	1	18	
4. <i>Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c....																	4	1	1	6	1	1	...	3	1	1	3	2	18	
5. <i>Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c.	1	1	1	1	...	1	6	
6. <i>Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c.	1	1	
7. <i>Joints</i> —Arthritis, Ostitis, Periostitis, &c.	1	1	
8. <i>Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c.																	1	1	1	2	
TOTAL																	36	14	8	1	1	60	3	...	2	1	8	6	7	5	6	5	9	2	1	1	2	4	122	
IV.—Developmental Diseases.																																												
1. <i>Diseases of Children</i> —Premature Birth, Cyanosis, Teething, &c....																	21	9	30	1	3	1	3	30	
2. <i>Adults</i> —Paramenia, Childbirth, &c.	1	3	8	
3. <i>Old People</i> —Old Age, Senile Decay, &c.	1	1	4	2	4	12	
4. <i>Nutrition</i> —Atrophy, Debility																	28	8	2	...	2	40	1	1	43	
TOTAL																	49	17	2	...	2	70	1	2	3	1	3	1	1	4	2	4	1	93	
V.—Violence.																																												
1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.																	3	4	...	1	...	8	5	2	2	6	3	4	3	1	1	1	...	4	41	
2. <i>Wounds in Battle</i> —Gunshot Wounds, Sword, Bayonet, or other Wounds	1
3. <i>Homicide</i> —Murder and Manslaughter	1
4. <i>Suicide</i> —Poison, Drowning, Hanging, &c.
5. <i>Execution</i> —Hanging
TOTAL																	3	4	...	1	...	8	5	3	2	6	3	5	3	1	1	1	...	4	1	43
Sudden Deaths, cause not ascertained	4
Deaths, cause ill-defined																	1	1	2	1	1	9
Deaths, cause unspecified																	2	3	5
TOTALS FROM ALL CAUSES																	137	61	16	9	5	223	12	5	7	20	29	30	17	12	11	14	14	10	8	5	6	12	440	

No. 4 of Table No. 8.

SUMMARY of DEATHS of MALES and FEMALES registered in BRISBANE, during each Month of the Year 1869.

CAUSES OF DEATH.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTAL.		
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
I.—Zymotic Diseases.																											
1. Miasmatic Diseases—Scarlatina, &c. ...	4	4	7	6	5	3	8	4	5	3	4	3	3	4	4	1	2	2	3	4	5	2	6	5	56	41	
2. Enthetic Diseases—Syphilis, &c.	1	1	2	...	
3. Dietic Diseases—Privation, &c....	1	1	1	...	
4. Parasitic Diseases—Thrush, &c.	1	1	...	
TOTAL ...	4	4	9	6	6	3	8	4	5	3	4	3	3	4	4	2	2	2	3	4	5	2	7	5	60	42	
II.—Constitutional Diseases.																											
1. Diathetic Diseases—Gout, &c. ...	2	1	2	...	1	1	2	...	2	...	1	...	1	1	...	6	6
2. Tubercular Diseases—Scrofula, &c. ...	3	1	3	2	7	2	...	2	2	1	2	2	1	1	3	2	2	1	1	1	2	3	6	3	32	21	
TOTAL ...	5	1	3	3	7	2	...	2	2	3	2	3	1	1	3	3	4	1	3	1	3	3	7	4	40	27	
III.—Local Diseases.																											
1. Diseases of the Nervous System—Apoplexy, &c. ...	1	...	2	6	1	2	5	4	2	2	2	4	1	2	2	3	...	1	2	6	5	2	3	2	26	34	
2. " Organs of Circulation—Aneurism, &c. ...	1	...	1	...	2	2	1	2	...	1	...	3	...	2	1	12	4	
3. " Respiratory System—Bronchitis, &c. ...	1	2	1	...	1	1	...	4	...	1	...	1	2	3	15	3	
4. " Digestive Organs—Gastritis, &c.	3	...	2	1	1	1	2	...	1	1	1	2	1	1	...	1	...	6	12
5. " Urinary Organs—Nephritis, &c.	2	1	1	2	5	1	
6. " Organs of Generation—Ovarian Dropsy, &c.	1	1	1
7. " Joints—Arthritis, &c.	1	1	1
8. " Integumentary System—Phlegmon, &c.	1	1	2
TOTAL ...	3	4	5	8	6	5	6	4	3	3	5	5	3	6	11	5	2	1	8	8	10	5	3	3	65	57	
IV.—Developmental Diseases.																											
1. Diseases of Children—Cyanosis, &c.	3	1	1	2	1	4	1	3	1	1	1	1	1	1	...	2	1	1	2	18	12	
2. " Adults—Paramenia, Childbirth, &c.	2	...	1	...	1	1	...	1	1	8	...
3. " Old People—Old Age, &c. ...	1	...	1	2	...	2	2	...	2	...	1	2	1	7	5
4. " Nutrition—Atrophy, Debility ...	1	3	...	2	3	3	1	5	1	3	1	1	1	3	4	1	1	1	3	1	3	...	15	28	
TOTAL ...	2	6	2	2	3	6	5	7	7	7	4	2	2	4	2	5	5	1	3	3	2	6	3	4	40	53	
V.—Violence.																											
1. Accident or Negligence—Fractures, &c. ...	3	1	2	...	4	...	4	...	1	3	2	5	2	...	3	...	5	...	1	1	4	...	36	5	
2. Wounds in Battle—Gunshot Wounds, &c.	
3. Homicide—Murder, &c.	1	
4. Suicide—Poison, &c.	1	
5. Execution—Hanging	
TOTAL ...	3	1	2	...	5	...	4	1	3	2	5	...	2	...	3	...	6	...	1	1	4	...	38	5	
Sudden Deaths, cause not ascertained	
Deaths, cause ill-defined	1	1	...	1	1	1	
Deaths, cause unspecified	1	2	2	...	1	1	1	1	3	6	
TOTALS FROM ALL CAUSES ...	17	16	22	21	27	16	24	17	17	19	19	15	14	15	23	16	17	5	23	17	22	17	24	17	249	191	

No. 1 of Table No. 9.

SUMMARY of DEATHS of MALES in MARYBOROUGH during the Year 1869.

CAUSES OF DEATH.														Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	⋮	Total of all ages.								
I.—Zymotic Diseases.																																												
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c.														7	4	2	13	2	1	...	2	1	1	2	1	23			
2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c.														1		
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.														1	
4. Parasitic Diseases—Thrush, Worms, &c.														1	1	1	
TOTAL														8	4	2	14	2	1	...	2	1	1	2	1	1	25		
II.—Constitutional Diseases.																																												
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.														1	2	1	4		
2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.														1	1	1	2	1	6	
TOTAL														1	2	3	2	...	1	1	10		
III.—Local Diseases.																																												
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.														15	3	18	1	2	1	1	1	1	22	
2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c.														...	1	1	9	
3. " Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.														1	1	2	
4. " Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.														1	12
5. " Urinary Organs—Nephritis, Ischuria, Diabetes, &c.														1	1
6. " Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.													
7. " Joints—Arthritis, Ostitis, Periostitis, &c.													
8. " Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.													
TOTAL														21	5	26	3	3	3	3	5	1	...	1	1	46		
IV.—Developmental Diseases.																																												
1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c.														5	4	9	9	
2. " Adults—Paramenia, Childbirth, &c.														3
3. " Old People—Old Age, Senile Decay, &c.														2
4. " Nutrition—Atrophy, Debility														1	1	2	14
TOTAL														6	5	11	14
V.—Violence.																																												
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.														...	1	...	2	...	3	1	...	1	1	4	2	2	2	1	1	1	1	2	22	
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds													
3. Homicide—Murder and Manslaughter														1
4. Suicide—Poison, Drowning, Hanging, &c.													
5. Execution—Hanging													
TOTAL														...	1	...	2	...	3	1	...	1	1	4	2	2	2	1	1	1	1	3	23	
Sudden Deaths, cause not ascertained														
Deaths, cause ill-defined														1	1	1	
Deaths, cause unspecified														5	5	1	1	9	
TOTALS FROM ALL CAUSES														41	15	2	2	...	60	1	...	3	3	9	11	9	6	9	3	1	2	1	1	1	1	1	1	1	1	8	128			

No. 2 of Table No. 9.
SUMMARY of DEATHS of FEMALES in MARYBOROUGH during the Year 1869.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. <i>Miasmatic Diseases</i> —Scarlatina, Diphtheria, Dysentery, Fevers, &c....	4	3	1	8	2	1	...	1	1	13
2. <i>Enthetic Diseases</i> —Hydrophobia, Syphilis, Glanders, &c.
3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c.
4. <i>Parasitic Diseases</i> —Thrush, Worms, &c....	1	1	1
TOTAL	5	3	1	9	2	1	...	1	1	14
II.—Constitutional Diseases.																						
1. <i>Diatetic Diseases</i> —Gout, Dropsy, Cancer, &c.	1	1	1	2
2. <i>Tubercular Diseases</i> —Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.	1	1	1	1	...	1	4
TOTAL	1	1	2	1	1	...	1	1	6
III.—Local Diseases.																						
1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.	9	4	13	1	1	15
2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease, &c.	1	1	1
3. <i>Diseases of the Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	1	1
4. <i>Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c.	1	1	2	1	1	1	5
5. <i>Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c.
6. <i>Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c.
7. <i>Joints</i> —Arthritis, Ostitis, Periostitis, &c.
8. <i>Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c.
TOTAL	10	5	1	16	1	1	3	1	22
IV.—Developmental Diseases.																						
1. <i>Diseases of Children</i> —Premature Birth, Cyanosis, Teething, &c.	3	2	5	5
2. <i>Adults</i> —Paramenia, Childbirth, &c.	1	1	2
3. <i>Old People</i> —Old Age, Senile Decay, &c.	1	1
4. <i>Nutrition</i> —Atrophy, Debility... ..	6	6	6
TOTAL	9	2	11	1	1	1	14
V.—Violence.																						
1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	1	1	1	1	...	4	1	5
2. <i>Wounds in Battle</i> —Gunshot Wounds, Sword, Bayonet, or other Wounds
3. <i>Homicide</i> —Murder and Manslaughter
4. <i>Suicide</i> —Poison, Drowning, Hanging, &c....
5. <i>Execution</i> —Hanging
TOTAL	1	1	1	1	...	4	1	5
Sudden Deaths, cause not ascertained
Deaths, cause ill-defined	1	1	1	2
Deaths, cause unspecified
TOTALS FROM ALL CAUSES	26	13	2	1	1	43	3	...	1	2	2	7	...	1	3	1	63

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. <i>Miasmatic Diseases</i> —Scarlatina, Diphtheria, Dysentery, Fevers, &c. ...	11	7	2	...	1	21	2	...	2	1	...	3	1	2	3	1	36
2. <i>Enthetic Diseases</i> —Hydrophobia, Syphilis, Glanders, &c.	1
3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c.
4. <i>Parasitic Diseases</i> —Thrush, Worms, &c. ...	2	2	2
TOTAL ...	13	7	2	...	1	23	2	...	2	1	...	3	1	2	3	1	1	39
II.—Constitutional Diseases.																						
1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c. ...	1	1	1	2	2	6
2. <i>Tubercular Diseases</i> —Scrophula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.	1	1	1	2	1	2	2	1	10
TOTAL ...	1	1	2	1	2	2	4	2	...	2	1	16
III.—Local Diseases.																						
1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c. ...	24	7	31	1	1	1	1	1	1	37
2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease, &c.	1	1	2	1	2	...	2	2	1	10
3. <i>Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	1	1	3
4. <i>Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c. ...	7	2	9	1	2	2	1	...	2	17
5. <i>Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c.	1	1
6. <i>Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c.
7. <i>Joints</i> —Arthritis, Ostitis, Periostitis, &c.
8. <i>Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c.
TOTAL ...	31	10	1	42	1	4	6	3	3	6	1	...	1	1	68
IV.—Developmental Diseases.																						
1. <i>Diseases of Children</i> —Premature Birth, Cyanosis, Teething, &c. ...	8	6	14	14
2. <i>Adults</i> —Paramenia, Childbirth, &c.	1	1	2
3. <i>Old People</i> —Old Age, Senile Decay, &c.	1	1	1	1	4
4. <i>Nutrition</i> —Atrophy, Debility... ...	7	1	8	8
TOTAL ...	15	7	22	1	1	1	1	1	1	28
V.—Violence.																						
1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. ...	1	2	1	3	...	7	1	...	1	2	4	2	2	2	1	1	1	1	2	27
2. <i>Wounds in Battle</i> —Gunshot Wounds, Sword, Bayonet, or other Wounds
3. <i>Homicide</i> —Murder and Manslaughter
4. <i>Suicide</i> —Poison, Drowning, Hanging, &c.	1	1
5. <i>Execution</i> —Hanging
TOTAL ...	1	2	1	3	...	7	1	...	1	2	4	2	2	2	1	1	1	1	3	28
Sudden Deaths, cause not ascertained
Deaths, cause ill-defined... ...	1	1	1
Deaths, cause unspecified ...	5	1	6	2	1	2	11
TOTALS FROM ALL CAUSES ...	67	28	4	3	1	103	4	...	4	5	11	18	9	7	12	3	1	3	1	1	8	191

No. 1 of Table No. 10.
SUMMARY of DEATHS of MALES in ROCKHAMPTON, during the Year 1869.

CAUSES OF DEATH,		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.	
I.—Zymotic Diseases.																								
1. <i>Miasmatic Diseases</i> —Scarlatina, Diphtheria, Dysentery, Fevers, &c.		14	5	19	1	1	3	4	5	2	...	2	2	1	1	1	42
2. <i>Enthetic Diseases</i> —Hydrophobia, Syphilis, Glanders, &c.	
3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c.	
4. <i>Parasitic Diseases</i> —Thrush, Worms, &c.	
TOTAL		14	5	19	1	1	3	4	5	2	...	2	2	1	1	1	42
II.—Constitutional Diseases.																								
1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c.		1	1
2. <i>Tubercular Diseases</i> —Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.		1	...	1	2	1	1	3	1	2	2	...	1	13
TOTAL		1	...	1	2	1	1	3	1	2	2	1	1	14
III.—Local Diseases.																								
1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.		10	2	1	13	1	1	1	1	1	1	19
2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease, &c.		1	1	3	2	1	2	9
3. <i>Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c.		1	2	...	1	...	4	2	1	1	1	1	...	1	11
4. <i>Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c.		1	1	2	1	2	1	1	7
5. <i>Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c.	
6. <i>Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c.	
7. <i>Joints</i> —Arthritis, Ostitis, Periostitis, &c.	
8. <i>Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c.	
TOTAL		13	5	...	1	1	20	1	3	6	6	3	2	...	1	3	...	1	46
IV.—Developmental Diseases.																								
1. <i>Diseases of Children</i> —Premature Birth, Cyanosis, Teething, &c.		3	1	4	...	1	5
2. <i>Adults</i> —Paramenia, Childbirth, &c.	
3. <i>Old People</i> —Old Age, Senile Decay, &c.	
4. <i>Nutrition</i> —Atrophy, Debility		10	1	11	2	1	1	15
TOTAL		13	2	15	...	1	2	1	1	20
V.—Violence.																								
1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.		...	2	1	3	2	1	1	2	...	4	2	2	1	1	19
2. <i>Wounds in Battle</i> —Gunshot Wounds, Sword, Bayonet, or other Wounds		1	1
3. <i>Homicide</i> —Murder and Manslaughter	
4. <i>Suicide</i> —Poison, Drowning, Hanging, &c.		1	1
5. <i>Execution</i> —Hanging		1	1	...	1	3
TOTAL		...	2	1	3	2	1	1	3	1	6	3	2	1	1	24
Sudden Deaths, cause not ascertained	
Deaths, cause ill-defined		2	2	2
Deaths, cause unspecified	
TOTALS FROM ALL CAUSES		43	14	1	1	2	61	4	2	1	5	8	19	15	11	6	3	4	4	2	1	...	2	148

SUMMARY of DEATHS of FEMALES in ROCKHAMPTON, during the Year 1869.

CAUSES OF DEATH.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	e	Total of all ages.
I.—Zymotic Diseases.																								
1.	Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c.	10	7	1	...	1	19	1	1	...	1	2	5	...	1	1	1	32
2.	Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c.	1	1
3.	Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.
4.	Parasitic Diseases—Thrush, Worms, &c.
TOTAL		10	7	1	...	1	19	1	1	...	1	2	6	...	1	1	1	33
II.—Constitutional Diseases.																								
1.	Diathetic Diseases—Gout, Dropsy, Cancer, &c.
2.	Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.	1	1	1	2	1	1	6
TOTAL		1	1	1	2	1	1	6
III.—Local Diseases.																								
1.	Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.	7	1	...	1	...	9	9
2.	Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c.	1	1	1
3.	Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	1	...	1	1	1	2
4.	Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.	1	1	...	2	1	3
5.	Urinary Organs—Nephritis, Ischuria, Diabetes, &c.
6.	Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.	1	1
7.	Joints—Arthritis, Ostitis, Periostitis, &c.
8.	Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.
TOTAL		8	1	...	3	...	12	1	...	2	1	16
IV.—Developmental Diseases.																								
1.	Diseases of Children—Premature Birth, Cyanosis, Teething, &c.	5	4	9	9
2.	Adults—Paramenia, Childbirth, &c.	4	2	6
3.	Old People—Old Age, Senile Decay, &c.
4.	Nutrition—Atrophy, Debility	11	2	13	13
TOTAL		16	6	22	4	2	23
V.—Violence.																								
1.	Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	1	1	1	2
2.	Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds
3.	Homicide—Murder and Manslaughter
4.	Suicide—Poison, Drowning, Hanging, &c.
5.	Execution—Hanging
TOTAL		...	1	1	1	2
Sudden Deaths, cause not ascertained	
Deaths, cause ill-defined		1	1	1
Deaths, cause unspecified	
TOTALS FROM ALL CAUSES		36	15	1	3	1	56	1	1	...	3	8	10	1	2	2	2	86

No. 3 of Table No. 10.

SUMMARY of DEATHS of MALES and FEMALES in ROCKHAMPTON, during the Year 1869.

CAUSES OF DEATH.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																							
1. <i>Miasmatic Diseases</i> —Scarlatina, Diptheria, Dysentery, Fevers, &c.	24	12	1	...	1	38	2	1	...	2	5	9	5	3	1	2	2	2	1	...	1	74
2. <i>Enthetic Diseases</i> —Hydrophobia, Syphilis, Glanders, &c.	1	1
3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c.
4. <i>Parasitic Diseases</i> —Thrush, Worms, &c.
TOTAL	24	12	1	...	1	38	2	1	...	2	5	10	5	3	1	2	2	2	1	...	1	75
II.—Constitutional Diseases.																							
1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c.	1	...	1	1
2. <i>Tubercular Diseases</i> —Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.	2	...	1	3	2	3	3	1	3	2	...	1	1	19
TOTAL	2	...	1	3	2	3	3	1	3	2	1	1	1	20
III.—Local Diseases.																							
1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.	17	3	...	1	1	22	1	1	1	1	1	1	28
2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease, &c.	1	1	4	2	1	2	10
3. <i>Diseases of the Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	1	2	...	2	...	5	2	1	2	1	1	...	1	...	13
4. <i>Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c.	2	1	...	1	...	4	2	2	1	1	10
5. <i>Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c.
6. <i>Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c.	1	1
7. <i>Joints</i> —Arthritis, Ostitis, Periostitis, &c.
8. <i>Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c.
TOTAL	21	6	...	4	1	32	1	1	3	8	7	3	2	...	1	3	...	1	...	62
IV.—Developmental Diseases.																							
1. <i>Diseases of Children</i> —Premature Birth, Cyanosis, Teething, &c.	8	5	13	...	1	14
2. <i>Adults</i> —Paramenia, Childbirth, &c.	4	2	6
3. <i>Old People</i> —Old Age, Senile Decay, &c.	21	3	24	2	1	1	23
4. <i>Nutrition</i> —Atrophy, Debility...
TOTAL	29	8	37	...	1	4	2	...	2	1	1	48
V.—Violence.																							
1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	3	1	4	2	1	1	2	...	4	2	2	2	1	21
2. <i>Wounds in Battle</i> —Gunshot Wounds, Sword, Bayonet, or other Wounds	1	1
3. <i>Homicide</i> —Murder and Manslaughter	1	1
4. <i>Suicide</i> —Poison, Drowning, Hanging, &c.	1	1	...	1	3
5. <i>Execution</i> —Hanging
TOTAL	3	1	4	2	1	1	3	1	6	3	2	2	1	26
Sudden Deaths, cause not ascertained	3	3	3
Deaths, cause ill-defined...
Deaths, cause unspecified
TOTALS FROM ALL CAUSES	79	29	2	4	3	117	5	3	1	8	16	29	16	13	8	3	4	6	2	1	...	234

No. 1 of Table No. 11.
SUMMARY of DEATHS of MALES in BOWEN, during the Year 1869.

CAUSES OF DEATH,										Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.							
I.—Zymotic Diseases.																																						
1. <i>Miasmatic Diseases</i> —Scarlatina, Diphtheria, Dysentery, Fevers, &c.										2	2	1	1	2	1	7					
2. <i>Enthetic Diseases</i> —Hydrophobia, Syphilis, Glanders, &c.										1	1	1	1			
3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c.										1	1	2			
4. <i>Parasitic Diseases</i> —Thrush, Worms, &c.										
TOTAL										2	2	1	1	2	2	2	10			
II.—Constitutional Diseases.																																						
1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c.										1	1		
2. <i>Tubercular Diseases</i> —Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.										1	3	1	1	...	1	1	8		
TOTAL										1	3	1	1	...	2	1	9		
III.—Local Diseases.																																						
1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.										2	2	2		
2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease, &c.										
3. <i>Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c.										
4. <i>Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c.										3	3
5. <i>Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c.									
6. <i>Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c.									
7. <i>Joints</i> —Arthritis, Ostitis, Periostitis, &c.										
8. <i>Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c.									
TOTAL										7	7	1	8	
IV.—Developmental Diseases.																																						
1. <i>Diseases of Children</i> —Premature Birth, Cyanosis, Teething, &c.										1	1	1		
2. <i>Adults</i> —Paramenia, Childbirth, &c.										
3. <i>Old People</i> —Old Age, Senile Decay, &c.										...	1	1	
4. <i>Nutrition</i> —Atrophy, Debility										
TOTAL										1	1	2	1	1	...	4	
V.—Violence.																																						
1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.										2	1	2	5	
2. <i>Wounds in Battle</i> —Gunshot Wounds, Sword, Bayonet, or other Wounds										
3. <i>Homicide</i> —Murder and Manslaughter										
4. <i>Suicide</i> —Poison, Drowning, Hanging, &c.									
5. <i>Execution</i> —Hanging									
TOTAL										2	1	2	5	
Sudden Deaths, cause not ascertained										1	1	2			
Deaths, cause ill-defined											
Deaths, cause unspecified										1	1		
TOTALS FROM ALL CAUSES										10	1	11	...	1	2	3	2	2	4	5	1	1	7	39		

No. 2 of Table No. 11.

SUMMARY of DEATHS of FEMALES in BOWEN, during the Year 1869.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. <i>Miasmatic Diseases</i> —Scarlatina, Diphtheria, Dysentery, Fevers, &c....	1	1
2. <i>Enthetic Diseases</i> —Hydrophobia, Syphilis, Glanders, &c.
3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c.
4. <i>Parasitic Diseases</i> —Thrush, Worms, &c....
TOTAL	1	1
II.—Constitutional Diseases.																						
1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c.
2. <i>Tubercular Diseases</i> —Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.	1	1	2	2
TOTAL	1	1	2	2
III.—Local Diseases.																						
1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.	3	...	1	4	4
2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease, &c.	1	...	1
3. " <i>Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	1	1
4. " <i>Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c.
5. " <i>Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c.
6. " <i>Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c.
7. " <i>Joints</i> —Arthritis, Ostitis, Periostitis, &c.
8. " <i>Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c.
TOTAL	3	...	1	4	1	1	...	6
IV.—Developmental Diseases.																						
1. <i>Diseases of Children</i> —Premature Birth, Cyanosis, Teething, &c.	1	1	1
2. " <i>Adults</i> —Paramenia, Childbirth, &c.
3. " <i>Old People</i> —Old Age, Senile Decay, &c.	1	1
4. " <i>Nutrition</i> —Atrophy, Debility... ..	1	1	1	2
TOTAL	1	1	2	1	1	4
V.—Violence.																						
1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.
2. <i>Wounds in Battle</i> —Gunshot Wounds, Sword, Bayonet, or other Wounds
3. <i>Homicide</i> —Murder and Manslaughter
4. <i>Suicide</i> —Poison, Drowning, Hanging, &c....
5. <i>Execution</i> —Hanging
TOTAL
Sudden Deaths, cause not ascertained
Deaths, cause ill-defined	1	1
Deaths, cause unspecified
TOTALS FROM ALL CAUSES	5	2	1	8	2	2	1	1	...	14

SUMMARY of DEATHS of MALES and FEMALES in BOWEN, during the Year 1869.

CAUSES OF DEATH.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																							
1.	Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c.	2	2	1	...	1	...	1	2	1	8
2.	Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c.	1	1	1	2
3.	Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.	1	1	1
4.	Parasitic Diseases—Thrush, Worms, &c.
TOTAL		2	2	1	...	1	1	2	2	2	11
II.—Constitutional Diseases.																							
1.	Diathetic Diseases—Gout, Dropsy, Cancer, &c.	1	1
2.	Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.	1	1	2	1	3	1	1	...	1	1	10
TOTAL		1	1	2	1	3	1	1	...	2	1	11
III.—Local Diseases.																							
1.	Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.	5	...	1	6	6
2.	Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c.	1	...	1
3.	Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	2	2	1	1	4
4.	Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.	3	3	3
5.	Urinary Organs—Nephritis, Ischuria, Diabetes, &c.
6.	Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.
7.	Joints—Arthritis, Ostitis, Periostitis, &c.
8.	Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.
TOTAL		10	...	1	11	1	1	1	...	14
IV.—Developmental Diseases.																							
1.	Diseases of Children—Premature Birth, Cyanosis, Teething, &c.	1	1	2	2
2.	Adults—Paramenia, Childbirth, &c.
3.	Old People—Old Age, Senile Decay, &c.
4.	Nutrition—Atrophy, Debility...	1	1	2	1	1	...	1	3
TOTAL		2	2	4	2	1	...	1	3
V.—Violence.																							
1.	Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	2	1	2	5
2.	Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds
3.	Homicide—Murder and Manslaughter
4.	Suicide—Poison, Drowning, Hanging, &c.
5.	Execution—Hanging
TOTAL		2	1	2	5
Sudden Deaths, cause not ascertained	
Deaths, cause ill-defined...		1	1	1	3
Deaths, cause unspecified		1	1
TOTALS FROM ALL CAUSES		15	3	1	19	...	1	2	3	4	2	4	5	3	1	1	1	7
																							53

No. 1 of Table No. 12.
SUMMARY of DEATHS of MALES in TOWNSVILLE, during the Year 1869.

CAUSES OF DEATH,	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. <i>Miasmatic Diseases</i> —Scarlatina, Diphtheria, Dysentery, Fevers, &c.	1	1	2	1	1	5
2. <i>Enthetic Diseases</i> —Hydrophobia, Syphilis, Glanders, &c.	1	1
3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c.
4. <i>Parasitic Diseases</i> —Thrush, Worms, &c.
TOTAL	1	1	1	2	1	1	6
II.—Constitutional Diseases.																						
1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c.
2. <i>Tubercular Diseases</i> —Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.
TOTAL
III.—Local Diseases.																						
1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.	1	1	1
2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease, &c.
3. <i>Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	1	1	1	2
4. <i>Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c.
5. <i>Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c.
6. <i>Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c.
7. <i>Joints</i> —Arthritis, Ostitis, Periostitis, &c.
8. <i>Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c.
TOTAL	2	2	1	3
IV.—Developmental Diseases.																						
1. <i>Diseases of Children</i> —Premature Birth, Cyanosis, Teething, &c.	3	3	3
2. <i>Adults</i> —Paramenia, Childbirth, &c.
3. <i>Old People</i> —Old Age, Senile Decay, &c.	1	1	1
4. <i>Nutrition</i> —Atrophy, Debility
TOTAL	4	4	4
V.—Violence.																						
1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	1	1
2. <i>Wounds in Battle</i> —Gunshot Wounds, Sword, Bayonet, or other Wounds
3. <i>Homicide</i> —Murder and Manslaughter
4. <i>Suicide</i> —Poison, Drowning, Hanging, &c.
5. <i>Execution</i> —Hanging
TOTAL	1	1
Sudden Deaths, cause not ascertained	1	1	1
Deaths, cause ill-defined	1	1
Deaths, cause unspecified	2
TOTALS FROM ALL CAUSES	8	8	1	4	1	1	1	1	17

No. 2 of Table No. 12.
SUMMARY of DEATHS of FEMALES in TOWNSVILLE, during the Year 1869.

CAUSES OF DEATH.														Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.			
I.—Zymotic Diseases.																																						
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c.														2	2	2	
2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c.
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.
4. Parasitic Diseases—Thrush, Worms, &c.
TOTAL														2	2	2
II.—Constitutional Diseases.																																						
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.
2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.	1	1
TOTAL														1	1	
III.—Local Diseases.																																						
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.														4	4	4	
2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c.	
3. Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	
4. Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.	
5. Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	
6. Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.	
7. Joints—Arthritis, Ostitis, Periostitis, &c.	
8. Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.	
TOTAL														4	4	4	
IV.—Developmental Diseases.																																						
1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c.														1	1	1	
2. Adults—Paramenia, Childbirth, &c.		
3. Old People—Old Age, Senile Decay, &c.		
4. Nutrition—Atrophy, Debility		
TOTAL														1	1	1	
V.—Violence.																																						
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds														
3. Homicide—Murder and Manslaughter														
4. Suicide—Poison, Drowning, Hanging, &c.	
5. Execution—Hanging														
TOTAL														
Sudden Deaths, cause not ascertained															
Deaths, cause ill-defined															
Deaths, cause unspecified														1	1		
TOTALS FROM ALL CAUSES														7	7	2	9	

No. 1 of Table No. 13.

SUMMARY of DEATHS of MALES in IPSWICH, during the Year 1869.

CAUSES OF DEATH.														Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	0	Total of all ages.							
I.—Zymotic Diseases.																																											
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. ...														7	9	3	1	...	20	1	1	1	23			
2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c.		
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.		
4. Parasitic Diseases—Thrush, Worms, &c. ...														1	1	1	
TOTAL ...														8	9	3	1	...	21	1	1	1	24	
II.—Constitutional Diseases.																																											
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.	1	1	1			
2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.	1	...	1	1	...	2	1	6		
TOTAL	1	...	1	1	...	3	1	7		
III.—Local Diseases.																																											
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c. ...														4	4	2	2	1	2	11			
2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c.	1	1	3		
3. " Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c. ...														2	1	3	1	1	1	1	1	8		
4. " Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c. ...														1	1	1	2		
5. " Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	
6. " Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.	
7. " Joints—Arthritis, Ostitis, Periostitis, &c.	
8. " Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.	
TOTAL ...														7	1	8	1	...	1	...	1	1	2	2	2	3	1	1	1	24	
IV.—Developmental Diseases.																																											
1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c. ...														2	2	2		
2. " Adults—Paramenia, Childbirth, &c.	
3. " Old People—Old Age, Senile Decay, &c.	
4. " Nutrition—Atrophy, Debility... ...														6	...	1	7	7
TOTAL ...														8	...	1	9	9	
V.—Violence.																																											
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	1	1	...	2	...	3	...	1	1	...	3	...	2	1	13			
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds	
3. Homicide—Murder and Manslaughter	
4. Suicide—Poison, Drowning, Hanging, &c.	
5. Execution—Hanging	
TOTAL	1	1	...	2	...	3	...	1	1	...	3	...	2	1	13	
Sudden Deaths, cause not ascertained ...														3	3	3	
Deaths, cause ill-defined...	1	1		
Deaths, cause unspecified		
TOTALS FROM ALL CAUSES ...														26	10	5	2	...	43	1	3	2	1	4	3	7	5	5	4	1	1	1	81	

No. 2 of Table No. 13.

SUMMARY of DEATHS of FEMALES in IPSWICH, during the Year 1869.

CAUSES OF DEATH.										Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.				
I.—Zymotic Diseases.																																			
1.	Miasmatic Diseases—	Scarlatina,	Diphtheria,	Dysentery,	Fevers, &c....	2	2	1	5	1	...	1	1	...	2	...	1	...	1	12				
2.	Enthetic Diseases—	Hydrophobia,	Syphilis,	Glanders, &c.	1	1				
3.	Dietic Diseases—	Privation,	Scurvy,	Delirium Tremens, &c.				
4.	Parasitic Diseases—	Thrush,	Worms, &c....				
TOTAL										2	2	1	5	1	...	1	2	...	2	...	1	...	1	13		
II.—Constitutional Diseases.																																			
1.	Diathetic Diseases—	Gout,	Dropsy,	Cancer, &c.				
2.	Tubercular Diseases—	Scrofula,	Tabes Mesenterica,	Phthisis, Hydrocephalus, &c.	1	1	2	1	2	2	8				
TOTAL										1	1	2	1	2	2	8	
III.—Local Diseases.																																			
1.	Diseases of the Nervous System—	Apoplexy,	Paralysis,	Insanity,	Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.	7	2	1	10	1	1	1	13				
2.	Diseases of the Organs of Circulation—	Pericarditis,	Aneurism,	Heart Disease, &c.				
3.	Respiratory System—	Bronchitis,	Pneumonia,	Asthma, Pleurisy, &c.	1	1	...	2	2				
4.	Digestive Organs—	Gastritis,	Enteritis,	Peritonitis, Hernia, &c.	1	1	1	1	1	2	6				
5.	Urinary Organs—	Nephritis,	Ischuria,	Diabetes, &c.				
6.	Organs of Generation—	Ovarian Dropsy,	Uterus Disease, &c.				
7.	Joints—	Arthritis,	Ostitis,	Periostitis, &c.				
8.	Integumentary System—	Phlegmon,	Ulcer,	Skin Disease, &c.				
TOTAL										9	2	1	1	...	13	1	1	...	1	1	1	1	2	21		
IV.—Developmental Diseases.																																			
1.	Diseases of Children—	Premature Birth,	Cyanosis,	Teething, &c.	2	2	2				
2.	Adults—	Paramenia,	Childbirth, &c.	1	1				
3.	Old People—	Old Age,	Senile Decay, &c.				
4.	Nutrition—	Atrophy,	Debility...	4	4	4				
TOTAL										6	6	1	7		
V.—Violence.																																			
1.	Accident or Negligence—	Fractures,	Contusions,	Burns,	Drowning, Suffocation, Wounds, &c.	1	1	1	2				
2.	Wounds in Battle—	Gunshot Wounds,	Sword, Bayonet, or other Wounds				
3.	Homicide—	Murder and Manslaughter				
4.	Suicide—	Poison, Drowning, Hanging, &c....				
5.	Execution—	Hanging				
TOTAL										1	1	1	2	
Sudden Deaths, cause not ascertained											
Deaths, cause ill-defined										2	2	2		
Deaths, cause unspecified										
TOTALS FROM ALL CAUSES										20	4	3	1	...	28	3	...	1	5	1	5	2	2	1	3	...	2	53

SUMMARY of DEATHS of MALES and FEMALES in IPSWICH, during the Year 1869.

CAUSES OF DEATH.																	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.							
I.—Zymotic Diseases.																																													
1. <i>Miasmatic Diseases</i> —Scarlatina, Diphtheria, Dysentery, Fevers, &c. ...																	9	11	4	1	...	25	1	...	1	1	1	3	1	1	...	1	35			
2. <i>Enthetic Diseases</i> —Hydrophobia, Syphilis, Glanders, &c.	1	1		
3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c.	1
4. <i>Parasitic Diseases</i> —Thrush, Worms, &c. ...																	1	1	1
TOTAL																	10	11	4	1	...	26	1	...	1	2	1	3	1	1	...	1	1	37	
II.—Constitutional Diseases.																																													
1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c.	1	1	
2. <i>Tubercular Diseases</i> —Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c. ...																	1	1	1	2	2	3	...	2	1	2	14	
TOTAL																	1	1	1	2	2	3	...	3	1	2	15	
III.—Local Diseases.																																													
1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c. ...																	11	2	1	14	1	1	2	2	2	2	24	
2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease, &c.	1	1	...	1	3	
3. <i>Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c. ...																	3	1	...	1	...	5	1	1	...	1	1	...	1	1	10	
4. <i>Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c. ...																	2	2	1	1	1	3	8	
5. <i>Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c.
6. <i>Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c.
7. <i>Joints</i> —Arthritis, Ostitis, Periostitis, &c.
8. <i>Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c.
TOTAL																	16	3	1	1	...	21	2	...	1	1	1	2	3	3	3	3	3	1	3	1	45	
IV.—Developmental Diseases.																																													
1. <i>Diseases of Children</i> —Premature Birth, Cyanosis, Teething, &c. ...																	4	4	4	
2. <i>Adults</i> —Paramenia, Childbirth, &c.	1	1	
3. <i>Old People</i> —Old Age, Senile Decay, &c.
4. <i>Nutrition</i> —Atrophy, Debility ...																	10	...	1	11	11
TOTAL																	14	...	1	15	1	16
V.—Violence.																																													
1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	2	1	...	3	1	3	...	1	1	...	3	...	2	1	15	
2. <i>Wounds in Battle</i> —Gunshot Wounds, Sword, Bayonet, or other Wounds
3. <i>Homicide</i> —Murder and Manslaughter
4. <i>Suicide</i> —Poison, Drowning, Hanging, &c.
5. <i>Execution</i> —Hanging
TOTAL																	2	1	...	3	1	3	...	1	1	...	3	...	2	1	15
Sudden Deaths, cause not ascertained																
Deaths, cause ill-defined																	5	5	5
Deaths, cause unspecified																	1	1
TOTALS FROM ALL CAUSES																	46	14	8	3	...	71	4	3	3	6	5	8	9	7	6	7	1	3	1	134

No. 1 of Table No. 14.

SUMMARY of DEATHS of MALES in DRAYTON and TOOWOOMBA, during the Year 1869.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. <i>Miasmatic Diseases</i> —Scarlatina, Diphtheria, Dysentery, Fevers, &c.	6	9	4	1	...	20	...	1	1	1	...	1	24
2. <i>Enthetic Diseases</i> —Hydrophobia, Syphilis, Glanders, &c.	1	1
3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c.	3	3	1	4
4. <i>Parasitic Diseases</i> —Thrush, Worms, &c.
TOTAL	9	9	4	1	...	23	...	1	1	1	2	...	1	29
II.—Constitutional Diseases.																						
1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c.	1	...	3	4
2. <i>Tubercular Diseases</i> —Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.	1	...	1	1	...	1	3	1	...	1	1	1	10
TOTAL	1	...	1	1	...	1	3	1	1	1	3	1	1	14
III.—Local Diseases.																						
1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.	7	7	1	1	...	1	10
2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease, &c.	1	...	1	2
3. " <i>Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	1	1	2	1	...	1	...	1	2	1	3	1	1	1	14
4. " <i>Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c.	2	2	2
5. " <i>Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c.	1	2
6. " <i>Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c.
7. " <i>Joints</i> —Arthritis, Ostitis, Periostitis, &c.
8. " <i>Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c.
TOTAL	8	1	2	11	1	...	1	...	2	1	1	2	3	3	1	...	1	1	2	30
IV.—Developmental Diseases.																						
1. <i>Diseases of Children</i> —Premature Birth, Cyanosis, Teething, &c.	3	2	5	5
2. " <i>Adults</i> —Paramenia, Childbirth, &c.
3. " <i>Old People</i> —Old Age, Senile Decay, &c.	10	1	11	11
4. " <i>Nutrition</i> —Atrophy, Debility
TOTAL	13	3	16	16
V.—Violence.																						
1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	2	2	1	1	2	1	2	9
2. <i>Wounds in Battle</i> —Gunshot Wounds, Sword, Bayonet, or other Wounds
3. <i>Homicide</i> —Murder and Manslaughter
4. <i>Suicide</i> —Poison, Drowning, Hanging, &c.
5. <i>Execution</i> —Hanging
TOTAL	2	2	1	1	2	1	2	9
Sudden Deaths, cause not ascertained
Deaths, cause ill-defined	1	1	...	2	2
Deaths, cause unspecified
TOTALS FROM ALL CAUSES	32	13	7	3	...	55	2	1	2	1	3	5	5	4	6	6	3	...	2	2	3	100

No. 2 of Table No. 14.
SUMMARY of DEATHS of FEMALES in DRAYTON and TOOWOOMBA, during the Year 1869.

CAUSES OF DEATH.														Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.						
I.—Zymotic Diseases.																																									
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c....														7	2	2	11	1	1	1	14			
2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c.														
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.														
4. Parasitic Diseases—Thrush, Worms, &c....														
TOTAL														7	2	2	11	1	1	1	14	
II.—Constitutional Diseases.																																									
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.														1	1	
2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.														1	2	1	1	5	
TOTAL														1	2	1	1	1	6	
III.—Local Diseases.																																									
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.														4	2	6	1	7	
2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c.														
3. Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.														1	2	3	1	1	1	6	
4. Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.														1	...	1	1	1	3	
5. Urinary Organs—Nephritis, Ischuria, Diabetes, &c.														
6. Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.														
7. Joints—Arthritis, Ostitis, Periostitis, &c.														
8. Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.														
TOTAL														5	4	...	1	...	10	1	1	1	1	1	...	1	1	...	1	16	
IV.—Developmental Diseases.																																									
1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c.														3	3	6	2	...	2	6	
2. Adults—Paramenia, Childbirth, &c....														4	
3. Old People—Old Age, Senile Decay, &c.														
4. Nutrition—Atrophy, Debility...														18	1	19	19
TOTAL														21	4	25	2	...	2	29	
V.—Violence.																																									
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.														1	1	2	
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds														
3. Homicide—Murder and Manslaughter														1	1	
4. Suicide—Poison, Drowning, Hanging, &c....														
5. Execution—Hanging														
TOTAL														1	1	1	3	
Sudden Deaths, cause not ascertained															
Deaths, cause ill-defined															
Deaths, cause unspecified															
TOTALS FROM ALL CAUSES														33	10	2	1	...	46	1	1	1	5	3	3	2	2	1	...	1	1	1	68	

No. 3 of Table No. 14.

SUMMARY of DEATHS of MALES AND FEMALES in DRAYTON AND TOOWOOMBA, during the Year 1869.

CAUSES OF DEATH.										Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.		
I.—Zymotic Diseases.																																	
1.	Miasmatic Diseases—Scarlatina, Diptheria, Dysentery, Fevers, &c.	13	11	6	1	...	31	...	1	1	1	...	1	1	...	2	38		
2.	Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c.	1	1		
3.	Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.	3	3	1	4		
4.	Parasitic Diseases—Thrush, Worms, &c.			
TOTAL										16	11	6	1	...	34	...	1	1	1	...	1	1	2	...	2	43
II.—Constitutional Diseases.																																	
1.	Diathetic Diseases—Gout, Dropsy, Cancer, &c.	1	1	1	3	4	2	...	1	...	1	1	...	5		
2.	Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.	1	1	1	1	2	...	1	1	1	...	15		
TOTAL										1	...	1	1	1	3	4	2	1	1	3	...	1	...	1	1	20
III.—Local Diseases.																																	
1.	Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.	11	2	13	1	...	1	1	...	1	17		
2.	Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c.	1	1	2		
3.	Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	2	3	5	1	...	1	1	2	2	2	3	1	1	1	20		
4.	Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.	2	1	...	3	1	1	5		
5.	Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	1	2		
6.	Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.		
7.	Joints—Arthritis, Ostitis, Periostitis, &c.		
8.	Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.		
TOTAL										13	5	2	1	...	21	2	...	1	1	3	1	1	3	4	3	2	...	1	1	2	...	46	
IV.—Developmental Diseases.																																	
1.	Diseases of Children—Premature Birth, Cyanosis, Teething, &c.	6	5	11	11		
2.	Adults—Paramenia, Childbirth, &c.	2	...	2	4		
3.	Old People—Old Age, Senile Decay, &c.		
4.	Nutrition—Atrophy, Debility	28	2	30	30		
TOTAL										34	7	41	2	...	2	45
V.—Violence.																																	
1.	Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	2	2	1	1	...	1	3	1	2	11		
2.	Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds	1		
3.	Homicide—Murder and Manslaughter		
4.	Suicide—Poison, Drowning, Hanging, &c.		
5.	Execution—Hanging		
TOTAL										2	2	1	1	...	1	...	3	2	2	12
Sudden Deaths, cause not ascertained										
Deaths, cause ill-defined										1	1	...	2	2	
Deaths, cause unspecified										
TOTALS FROM ALL CAUSES										65	23	9	4	...	101	3	2	3	6	6	8	7	6	7	6	4	1	3	2	3	...	168	

No. 1 of Table No. 15.
SUMMARY of DEATHS of MALES in WARWICK, during the Year 1869.

CAUSES OF DEATH.										Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.			
I.—Zymotic Diseases.																																		
1.	Miasmatic Diseases—	Scarlatina,	Diphtheria,	Dysentery,	Fevers, &c.	1	1	1	2			
2.	Enthetic Diseases—	Hydrophobia,	Syphilis,	Glanders, &c.			
3.	Dietic Diseases—	Privation,	Scurvy,	Delirium Tremens, &c.			
4.	Parasitic Diseases—	Thrush,	Worms, &c.			
TOTAL										1	1	1	2		
II.—Constitutional Diseases.																																		
1.	Diathetic Diseases—	Gout,	Dropsy,	Cancer, &c.			
2.	Tubercular Diseases—	Scrofula,	Tabes Mesenterica,	Phthisis,	Hydrocephalus, &c.	1	1			
TOTAL										1	1
III.—Local Diseases.																																		
1.	Diseases of the Nervous System—	Apoplexy,	Paralysis,	Insanity,	Cephalitis,	Convulsions,	Ophthalmia,	Brain Disease, &c.	...	4	1	1	6	1	1	1	1	1	11			
2.	Diseases of the Organs of Circulation—	Pericarditis,	Aneurism,	Heart Disease, &c.	1	1	2			
3.	Respiratory System—	Bronchitis,	Pneumonia,	Asthma,	Pleurisy, &c.	1	1			
4.	Digestive Organs—	Gastritis,	Enteritis,	Peritonitis,	Hernia, &c.	1	1	2	3			
5.	Urinary Organs—	Nephritis,	Ischuria,	Diabetes, &c.	1	1			
6.	Organs of Generation—	Ovarian Dropsy,	Uterus Disease, &c.			
7.	Joints—	Arthritis,	Ostitis,	Periostitis, &c.			
8.	Integumentary System—	Phlegmon,	Ulcer,	Skin Disease, &c.			
TOTAL										5	1	1	7	1	1	1	...	1	2	3	1	1	18	
IV.—Developmental Diseases.																																		
1.	Diseases of Children—	Premature Birth,	Cyanosis,	Teething, &c.	1	1	1			
2.	Adults—	Paramenia,	Childbirth, &c.			
3.	Old People—	Old Age,	Senile Decay, &c.	1			
4.	Nutrition—	Atrophy,	Debility	1	1	1			
TOTAL										1	1	2	2	
V.—Violence.																																		
1.	Accident or Negligence—	Fractures,	Contusions,	Burns,	Drowning,	Suffocation,	Wounds, &c.	1	...	1	...	2	2	2	8			
2.	Wounds in Battle—	Gunshot Wounds,	Sword,	Bayonet,	or other Wounds			
3.	Homicide—	Murder and Manslaughter			
4.	Suicide—	Poison,	Drowning,	Hanging, &c.			
5.	Execution—	Hanging			
TOTAL										1	...	1	...	2	2	2	8
Sudden Deaths, cause not ascertained										1	1	
Deaths, cause ill-defined										1	1	
Deaths, cause unspecified										1
TOTALS FROM ALL CAUSES										7	2	1	10	1	1	...	3	1	2	1	2	1	...	3	4	2	3	34	

No. 2 of Table No. 15.

SUMMARY of DEATHS of FEMALES in WARWICK, during the Year 1869.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. <i>Miasmatic Diseases</i> —Scarlatina, Diptheria, Dysentery, Fevers, &c. ...	2	2	1	3
2. <i>Enthetic Diseases</i> —Hydrophobia, Syphilis, Glanders, &c.
3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c.
4. <i>Parasitic Diseases</i> —Thrush, Worms, &c.
TOTAL ...	2	2	1	3
II.—Constitutional Diseases.																						
1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c.	1	1	2
2. <i>Tubercular Diseases</i> —Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.	1	...	1	...	2	1	3
TOTAL	1	...	1	...	2	1	1	1	5
III.—Local Diseases.																						
1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c. ...	1	1	2	2
2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease, &c.	1	1	1	1	2
3. " <i>Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	1	1	2
4. " <i>Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c. ...	1	1	1
5. " <i>Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c.
6. " <i>Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c.
7. " <i>Joints</i> —Arthritis, Ostitis, Periostitis, &c.
8. " <i>Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c.
TOTAL ...	2	2	4	1	1	1	7
IV.—Developmental Diseases.																						
1. <i>Diseases of Children</i> —Premature Birth, Cyanosis, Teething, &c. ...	1	1	2	2
2. " <i>Adults</i> —Paramenia, Childbirth, &c.	1	1
3. " <i>Old People</i> —Old Age, Senile Decay, &c.
4. " <i>Nutrition</i> —Atrophy, Debility... ...	1	1	1
TOTAL ...	2	1	3	1	4
V.—Violence.																						
1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	1	1
2. <i>Wounds in Battle</i> —Gunshot Wounds, Sword, Bayonet, or other Wounds
3. <i>Homicide</i> —Murder and Manslaughter
4. <i>Suicide</i> —Poison, Drowning, Hanging, &c.
5. <i>Execution</i> —Hanging
TOTAL	1	1
Sudden Deaths, cause not ascertained
Deaths, cause ill-defined...
Deaths, cause unspecified
TOTALS FROM ALL CAUSES ...	6	4	...	1	...	11	1	...	1	...	3	1	...	1	1	1	20

SUMMARY of DEATHS of MALES and FEMALES in WARWICK, during the Year 1869.

CAUSES OF DEATH.														Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.						
I.—Zymotic Diseases.																																									
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c.														3	3	1	1	5			
2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c.		
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.		
4. Parasitic Diseases—Thrush, Worms, &c.	
TOTAL														3	3	1	1	5	
II.—Constitutional Diseases.																																									
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.	1	1	2	
2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.	1	...	1	...	2	1	1	4	
TOTAL														...	1	...	1	...	2	1	1	1	1	6	
III.—Local Diseases.																																									
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.														5	2	1	8	1	1	...	1	1	1	13	
2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c.	1	2	1	4	
3. " Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	1	1	1	1	2	3	
4. " Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.														2	2	2	4	
5. " Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	1	1	
6. " Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.	
7. " Joints—Arthritis, Ostitis, Periostitis, &c.	
8. " Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.	
TOTAL														7	3	1	11	2	1	2	...	1	3	3	1	3	1	1	25	
IV.—Developmental Diseases.																																									
1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c.														2	1	3	1	3	
2. " Adults—Purpura, Childbirth, &c....														1	1	
3. " Old People—Old Age, Senile Decay, &c.	
4. " Nutrition—Atrophy, Debility														1	1	2	2	
TOTAL														3	2	5	1	6	
V.—Violence.																																									
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	1	...	1	1	2	2	2	9	
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds														
3. Homicide—Murder and Manslaughter														
4. Suicide—Poison, Drowning, Hanging, &c....														
5. Execution—Hanging														
TOTAL														1	...	1	1	2	2	2	2	9
Sudden Deaths, cause not ascertained														1	1		
Deaths, cause ill-defined														1	1		
Deaths, cause unspecified														1	1		
TOTALS FROM ALL CAUSES														13	6	1	1	...	21	2	1	1	3	4	3	1	3	2	...	3	4	3	...	3	4	3	3	54	

No. 1 of Table No. 16.
SUMMARY of DEATHS of MALES in ROMA, during the Year 1869.

CAUSES OF DEATH,										Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	?	Total of all ages.				
I.—Zymotic Diseases.																																				
1.	Miasmatic Diseases—	Scarlatina,	Diphtheria,	Dysentery,	Fevers, &c.	1	2	1	2	6				
2.	Enthetic Diseases—	Hydrophobia,	Syphilis,	Glanders, &c.				
3.	Dietic Diseases—	Privation,	Scurvy,	Delirium Tremens, &c.				
4.	Parasitic Diseases—	Thrush,	Worms, &c.				
TOTAL										1	2	1	2	6		
II.—Constitutional Diseases.																																				
1.	Diathetic Diseases—	Gout,	Dropsy,	Cancer, &c.	1	1			
2.	Tubercular Diseases—	Scrofula,	Tabes Mesenterica,	Phthisis, Hydrocephalus, &c.	1	1				
TOTAL										1	...	1	2	
III.—Local Diseases.																																				
1.	Diseases of the Nervous System—	Apoplexy,	Paralysis,	Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.	2	...	1	3	1	4				
2.	Diseases of the Organs of Circulation—	Pericarditis, Aneurism, Heart Disease, &c.	1	1				
3.	"	Respiratory System—	Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	1	1	2				
4.	"	Digestive Organs—	Gastritis, Enteritis, Peritonitis, Hernia, &c.				
5.	"	Urinary Organs—	Nephritis, Ischuria, Diabetes, &c.	1	1				
6.	"	Organs of Generation—	Ovarian Dropsy, Uterus Disease, &c.				
7.	"	Joints—	Arthritis, Ostitis, Periostitis, &c.				
8.	"	Integumentary System—	Phlegmon, Ulcer, Skin Disease, &c.				
TOTAL										2	...	1	3	2	...	1	...	1	1	8		
IV.—Developmental Diseases.																																				
1.	Diseases of Children—	Premature Birth, Cyanosis, Teething, &c.				
2.	"	Adults—	Paramenia, Childbirth, &c.				
3.	"	Old People—	Old Age, Senile Decay, &c.	1	1				
4.	"	Nutrition—	Atrophy, Debility				
TOTAL										1	1		
V.—Violence.																																				
1.	Accident or Negligence—	Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	2	1	3				
2.	Wounds in Battle—	Gunshot Wounds, Sword, Bayonet, or other Wounds				
3.	Homicide—	Murder and Manslaughter				
4.	Suicide—	Poison, Drowning, Hanging, &c.				
5.	Execution—	Hanging				
TOTAL										2	1	3	
Sudden Deaths, cause not ascertained											
Deaths, cause ill-defined										
Deaths, cause unspecified										1	1	
TOTALS FROM ALL CAUSES										2	...	1	3	1	4	2	3	...	2	2	3	1	21

SUMMARY of DEATHS of FEMALES in ROMA, during the Year 1869.

CAUSES OF DEATH.																Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	3	Total of all ages.					
I.—Zymotic Diseases.																																											
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. ...																1	1	2	2		
2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c.
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.
4. Parasitic Diseases—Thrush, Worms, &c.
TOTAL ...																1	1	2	2
II.—Constitutional Diseases.																																											
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.	
2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.	2	2
TOTAL	2	2
III.—Local Diseases.																																											
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c. ...																1	1	1	1	3		
2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c.	2	1	...	1	2	
3. Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c. ...																2	2	2
4. Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c. ...																1	1	1
5. Urinary Organs—Nephritis, Ischuria, Diabetes, &c.
6. Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.
7. Joints—Arthritis, Ostitis, Periostitis, &c.
8. Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.
TOTAL ...																4	4	1	...	2	1	8
IV.—Developmental Diseases.																																											
1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c.	
2. Adults—Paramenia, Childbirth, &c.
3. Old People—Old Age, Senile Decay, &c.
4. Nutrition—Atrophy, Debility...
TOTAL
V.—Violence.																																											
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	1	1	1	
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds
3. Homicide—Murder and Manslaughter
4. Suicide—Poison, Drowning, Hanging, &c.
5. Execution—Hanging
TOTAL	1	1	1
Sudden Deaths, cause not ascertained			

No. 1 of Table No. 17.
SUMMARY of DEATHS of MALES in CLERMONT, during the Year 1869.

CAUSES OF DEATH.															Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.					
I.—Zymotic Diseases.																																									
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c.															1	...	2	1	...	1	4	9			
2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c.															1	1	
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.															
4. Parasitic Diseases—Thrush, Worms, &c.															
TOTAL															1	...	2	1	...	2	4	10		
II.—Constitutional Diseases.																																									
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.															
2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.															1	1	...	2	2	4	
TOTAL															1	1	...	2	2	4	
III.—Local Diseases.																																									
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.															1	1	2	1	3	
2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c.															1	1
3. " Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.															1	1
4. " Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.															1	1	...	2	1	3
5. " Urinary Organs—Nephritis, Ischuria, Diabetes, &c.														
6. " Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.														
7. " Joints—Arthritis, Ostitis, Periostitis, &c.														
8. " Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.														
TOTAL															2	1	...	1	...	4	1	...	1	2	8	
IV.—Developmental Diseases.																																									
1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c.															
2. " Adults—Paramenia, Childbirth, &c.															
3. " Old People—Old Age, Senile Decay, &c.															
4. " Nutrition—Atrophy, Debility															1	1	2	
TOTAL															1	1	2	
V.—Violence.																																									
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.															1	1	1	1	1	2	6	
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds															
3. Homicide—Murder and Manslaughter															1	1
4. Suicide—Poison, Drowning, Hanging, &c.															2	2
5. Execution—Hanging														
TOTAL															1	1	1	1	1	5	9
Sudden Deaths, cause not ascertained															
Deaths, cause ill-defined															
Deaths, cause unspecified															3	6
TOTALS FROM ALL CAUSES															3	1	1	2	...	7	1	1	1	3	2	2	3	1	...	2	17	40	

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. <i>Miasmatic Diseases</i> —Scarlatina, Diphtheria, Dysentery, Fevers, &c....	1	1	2	1	...	1	4	10
2. <i>Enthetic Diseases</i> —Hydrophobia, Syphilis, Glanders, &c.	1
3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c.	1
4. <i>Parasitic Diseases</i> —Thrush, Worms, &c....
TOTAL	1	1	2	1	...	2	4	11
II.—Constitutional Diseases.																						
1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c.
2. <i>Tubercular Diseases</i> —Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.	2	1	...	3	1	2	6
TOTAL	2	1	...	3	1	2	6
III.—Local Diseases.																						
1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.	2	1	3	1	4
2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease, &c.	1
3. " <i>Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	1	1
4. " <i>Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c.	1	1	...	1	...	3	4
5. " <i>Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c.
6. " <i>Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c.
7. " <i>Joints</i> —Arthritis, Ostitis, Periostitis, &c.
8. " <i>Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c.
TOTAL	3	2	...	1	...	6	1	...	1	2	10
IV.—Developmental Diseases.																						
1. <i>Diseases of Children</i> —Premature Birth, Cyanosis, Teething, &c.
2. " <i>Adults</i> —Paramenia, Childbirth, &c.
3. " <i>Old People</i> —Old Age, Senile Decay, &c.
4. " <i>Nutrition</i> —Atrophy, Debility...	3	3	1	1	5
TOTAL	3	3	1	1	5
V.—Violence.																						
1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	1	1	1	1	1	2	6
2. <i>Wounds in Battle</i> —Gunshot Wounds, Sword, Bayonet, or other Wounds
3. <i>Homicide</i> —Murder and Manslaughter	1	1
4. <i>Suicide</i> —Poison, Drowning, Hanging, &c.	2	2
5. <i>Execution</i> —Hanging
TOTAL	1	1	1	1	1	5	9
Sudden Deaths, cause not ascertained	1	1	1	3	6
Deaths, cause ill-defined	1	1
Deaths, cause unspecified
TOTALS FROM ALL CAUSES	8	2	1	2	...	13	1	...	1	1	2	3	2	2	3	1	...	2	17	48

No. 1 of Table No. 18.

SUMMARY of DEATHS of MALES in all the DISTRICTS of QUEENSLAND, except BRISBANE, MARYBOROUGH, ROCKHAMPTON, BOWEN, TOWNSVILLE, IPSWICH, DRAYTON AND TOOWOOMBA, WARWICK, ROMA, and CLERMONT, during the Year 1869.

CAUSES OF DEATH.														Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.				
I.—Zymotic Diseases.																																							
1.	Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c.	11	6	4	1	3	25	1	...	1	4	9	7	4	7	4	4	1	1	1	...	7	77				
2.	Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c.	1	1	...	1	...	1	1	5					
3.	Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.	2	2	1	...	1	1	3	10					
4.	Parasitic Diseases—Thrush, Worms, &c.					
TOTAL														13	6	4	1	3	27	1	...	1	5	10	9	4	8	5	5	1	2	1	2	...	11	92			
II.—Constitutional Diseases.																																							
1.	Diathetic Diseases—Gout, Dropsy, Cancer, &c.	1	2	1	4					
2.	Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.	2	1	3	1	1	...	1	2	2	4	1	2	2	19					
TOTAL														2	1	3	1	1	...	1	3	2	2	4	2	2	2	23
III.—Local Diseases.																																							
1.	Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.	19	3	...	1	...	23	1	3	2	...	1	1	31					
2.	Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c.	2	3	5	2	2	1	1	16					
3.	Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	2	...	1	...	3	1	...	1	1	2	...	2	1	2	14					
4.	Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.	1	3	...	2	1	7					
5.	Urinary Organs—Nephritis, Ischuria, Diabetes, &c.					
6.	Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.					
7.	Joints—Arthritis, Ostitis, Periostitis, &c.					
8.	Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.					
TOTAL														21	3	1	2	...	27	1	...	1	...	6	9	7	5	4	2	...	2	4	68
IV.—Developmental Diseases.																																							
1.	Diseases of Children—Premature Birth, Cyanosis, Teething, &c.	4	3	1	8	8					
2.	Adults—Paramenia, Childbirth, &c.					
3.	Old People—Old Age, Senile Decay, &c.	6					
4.	Nutrition—Atrophy, Debility	3	1	1	...	1	6	1	...	2	2	1	1	13					
TOTAL														7	4	2	...	1	14	1	...	2	2	1	3	1	1	1	1	1	1	1	27
V.—Violence.																																							
1.	Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	1	...	2	...	3	3	...	2	7	4	4	5	2	1	2	...	1	1	9					
2.	Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds	1					
3.	Homicide—Murder and Manslaughter	2	1	2					
4.	Swicide—Poison, Drowning, Hanging, &c.	1	2	3					
5.	Execution—Hanging					
TOTAL														1	...	2	...	3	4	...	2	7	5	8	6	2	1	2	...	1	1	1	11	53
Sudden Deaths, cause not ascertained													</														

APPENDIX TO REGISTRAR-GENERAL'S REPORT.

41

No. 3 of Table No. 18.

SUMMARY of DEATHS of MALES and FEMALES in all the DISTRICTS of QUEENSLAND except BRISBANE, MARYBOROUGH, ROCKHAMPTON, BOWEN, TOWNSVILLE, IPSWICH, DRAYTON and TOOWOOMBA, WARWICK, ROMA, and CLEMMONT, during the Year 1869.

CAUSES OF DEATH.													Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.				
I.—Zymotic Diseases.																																						
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c....													18	14	4	2	4	42	1	...	1	4	11	9	4	7	4	4	1	1	1	1	...	1	...	9	100	
2. Ethetic Diseases—Hydrophobia, Syphilis, Glanders, &c.	1	...	1	...	1	1	1	1	5	
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.													2	2	1	1	1	1	...	1	1	...	3	12
4. Parasitic Diseases—Thrush, Worms, &c....												
TOTAL													20	14	4	2	4	44	1	...	1	5	12	11	5	9	5	5	1	2	1	2	...	13	117			
II.—Constitutional Diseases.																																						
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.													1	1	2	2	...	1	...	1	7	
2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.													2	1	3	1	1	...	1	1	5	2	4	1	2	3	24
TOTAL													3	1	4	1	1	...	3	3	5	3	4	2	2	3	31
III.—Local Diseases.																																						
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.													29	6	2	4	...	41	2	1	3	2	...	1	1	51
2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c.	1	1	2	3	7	3	2	1	...	1	1	21
3. Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.													3	1	1	5	...	1	...	1	1	3	...	3	2	1	...	1	2	17
4. Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.	1	...	1	1	3	...	3	1	9
5. Urinary Organs—Nephritis, Ischuria, Diabetes, &c.
6. Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.
7. Joints—Arthritis, Ostitis, Periostitis, &c.
8. Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.
TOTAL													32	7	4	5	...	48	2	...	1	1	7	9	10	7	4	2	...	3	4	98
IV.—Developmental Diseases.																																						
1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c.													8	3	1	12	12
2. Adults—Paramenia, Childbirth, &c.	1	3	2	6
3. Old People—Old Age, Senile Decay, &c.	6
4. Nutrition—Atrophy, Debility... ..													5	1	1	...	1	8	1	1	...	2	2	1	...	1	...	3	1	1	1	...	1	17	
TOTAL													13	4	2	...	1	20	2	4	2	2	2	1	...	1	3	1	1	1	1	1	1	1	41
V.—Violence.																																						
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.													1	...	2	3	3	...	2	7	4	4	5	2	2	2	...	1	1	1	1	...	9	47		
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds												
3. Homicide—Murder and Manslaughter													1	2	1	2	6	
4. Suicide—Poison, Drowning, Hanging, &c....													1	2	3	
5. Execution—Hanging												
TOTAL													1	...	2	3	4	...	2	7	5	8	6	2	2	2	...	1	1	1	1	11	56			
Sudden Deaths, cause not ascertained													
Deaths, cause ill-defined													1	1	2	3	1	2	8		
Deaths, cause unspecified													7	1	8	1	1	4	...	3	1	1	8	27		
TOTALS FROM ALL CAUSES													77	28	12	7	5	129	8	1	5	18	31	36	33	24	17	11	2	10	5	4	2	42	378			

APPENDIX B.

REPORT OF THE METEOROLOGICAL OBSERVER.

SIR,

During the past year the recording of Meteorological Observations throughout the colony has steadily progressed. At the close of the year 1868, upon undertaking the duties of this office, I found the Brisbane station only in existence, and the results recorded there could alone be published; as, however, several new stations have since been established, a greater amount of information can now be given.

In my Report for 1868 it was stated that new stations, with complete sets of instruments, had been established at Cape Moreton, Toowoomba, and Warwick; and, shortly afterwards, I was enabled to obtain accurate and comprehensive records from the most remote portion of the colony;—a full set of instruments having been sent to Cape York, and taken in charge by the Resident Magistrate, H. M. Chester, Esquire. The returns are forwarded as opportunity offers, and published in the *Government Gazette*, uniformly with those from other stations. Thus, the valuable records obtained by Dr. Haran, when resident at Cape York, are supplemented by those of another gentleman equally competent in observing, and careful in recording. The position of this station renders those observations of peculiar value, as, from its geographical situation and isolation, there exists but little probability of similar returns being obtained in that region.

At Sweer's Island, near the southern extremity of the Gulf of Carpentaria, latitude, 17 degrees 7 minutes, south; longitude, 139 degrees 41 minutes, east, the Resident Sub-Collector of Customs, G. F. Sandrock, Esquire, has undertaken the charge of a full set of instruments. For several years past this gentleman has contributed information as to the barometric observations obtained in that locality; but, being almost destitute of instruments, and possessing only a barometer, his efforts were not so successful as they deserved to be. At the close of 1869, a complete set having been placed under his control, the most satisfactory results have been obtained, and are regularly published in the *Government Gazette*, in a summarised form, uniform with those received from the other stations.

There are now five principal stations, exclusive of the original one at Brisbane, having complete sets of instruments of the most approved construction, in the hands of careful and experienced observers who, I may add, faithfully and zealously discharge the ceaseless duties devolving upon them, namely:—Cape Moreton, under James Brayden, Esquire; Toowoomba, T. H. Cowl, Esquire; Warwick, T. Towell, Esquire; Cape York, H. M. Chester, Esquire; and Sweer's Island, G. F. Sandrock, Esquire. Before the close of the present year I hope to have several new stations established in suitable localities in the northern portion of the colony.

A knowledge of the distribution and quantity of the rainfall being of great importance to all interested in pastoral or agricultural pursuits, efforts were made during the year to place a rain-gauge at each telegraph station in the colony, in order that reliable records might be derived from them at the beginning of 1870; but, although in several instances this result was arrived at, some time elapsed before complete sets of rain returns were obtained. At present, the results from thirty-two different stations are published monthly in the *Gazette*, showing the quantity of rain and the number of wet days in each month; and also, the maximum fall during twenty-four hours, with date of same. Attached to this report will be found a table showing the amount of rainfall, and number of wet days, during each month, at Brisbane, for ten years; at Warwick, for five years; and at Rainworth, near Springsure, for a like period. For this latter contribution I am indebted to the kindness of J. Gregson, Esquire, he having caused the rainfall on his station to be carefully observed and recorded for a series of years.

The variations of temperature in Brisbane, during the year 1869, have been greater than that of any other for the past ten years—the time during which observations have been taken here; the maximum heat in shade, 108°, was on 2nd January, and the minimum of cold, 27°, on 4th August. It was feared this last would have partially destroyed the crop of growing sugar cane, but much less injury resulted than had been anticipated, and what did occur was chiefly confined to the canes growing on low-lying or undrained land. During the year, on no other occasions than those above mentioned, did the temperature rise above 100° in shade, or descend below 32° on grass.

Believing that it is only by comparison a knowledge of climate is to be obtained, I have taken every available opportunity of placing before the public the means of contrasting the information obtained at various periods: thus, in the summary published monthly of the observations taken at Brisbane, the results obtained during the corresponding months for nine years previous are shown of the following, viz.:—Mean shade temperature of month; amount of rainfall, and number of days rain fell; the amount of evaporation; the number of positive and negative electrical observations; and the direction of the prevailing winds.

Communications have been opened, and exchanges of documents continue to be made, with the principal observatories in the world. Books and papers continue to be forwarded to this observatory, and volumes of great scientific value have been received from the Meteorological Office, in London, from Washington, U.S., St. Petersburg, Paris, Calcutta, and the Australian Colonies; letters have also been received from Her Majesty's Government, the Astronomer Royal of England, and from several scientific and learned bodies, desirous of obtaining copies of the observations taken in this colony.

It is to be regretted that no accurate information as to the effect of the changes of weather upon the public health is to be obtained; to the student such a report would be highly interesting, and to the physician, afford a knowledge of, and a means of preparing for, and guarding against, the disastrous results arising from such causes.

Attention has been lately called to the probable effects on climate to be apprehended from the indiscriminate destruction of our forest trees. This is a subject well worthy of the earnest consideration of all interested in the future well being of this country, as there can be no doubt of the injurious effects certain to follow if the present reckless system be continued. It is to be sincerely hoped that steps may be taken, either to put a stop to the plan now pursued, or to replace those trees removed.

The instruments at the various stations continue to be in good order, and, with few exceptions, work very satisfactorily.

The instruments in use at the chief station at Brisbane, are as follow:—

- Standard mercurial barometer.
- Maximum registering dry bulb shade thermometer.
- Minimum registering dry bulb shade thermometer.
- Maximum registering exposed thermometer, bulb in vacuo.
- Maximum registering exposed thermometer, bulb exposed.
- Minimum registering grass thermometer.
- Minimum registering soil thermometer.
- Shade dry bulb thermometer.
- Shade wet bulb thermometer.
- Robinson's anemometer.
- Glaisher's rain gauge.
- Gold leaf electrometer.
- Evaporation gauge.
- And box for exposing ozone paper.

Appended to this Report will be found the following tables:—

- I. Summary of observations taken at Brisbane, for one year.
- II. Summary of observations taken at Toowoomba and Warwick, for six months.
- III. Summary of observations taken at Cape York and Cape Moreton, for five months.
- IV. Rainfall at Brisbane, for ten years.
- V. Rainfall at Rainworth, near Springsure, for five years.
- VI. Rainfall at Warwick, for five years.
- VII. Daily maximum shade temperature, Brisbane.
- VIII. Daily minimum shade temperature, Brisbane.
- IX. Daily maximum temperature in sun, Brisbane.
- X. Daily minimum temperature on grass, Brisbane.
- XI. Daily range of temperature in shade, Brisbane.
- XII. Daily evaporation in sun, Brisbane.
- XIII. Daily record of rainfall, Brisbane; and
- XIV. Daily direction of wind, at 9 a.m., 3 p.m., 9 p.m., Brisbane.

I have, &c.,

EDMUND MAC DONNELL,

Government Meteorological Observer.

To the Registrar-General of Queensland.

METEOROLOGY.

Table No. I.

ANNUAL SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT BRISBANE, QUEENSLAND, IN 1869.

LATITUDE, 27° 28' 3" South ; LONGITUDE, 153° 6' 15" East ; Distant from Sea-coast, 10 miles ; height of Observatory above Mean Sea level, 140 feet.

1869.		MEAN OF BAROMETER.			MEAN TEMPERATURE OF AIR.			MEAN TEMPERATURE OF EVAPORATION.			MEAN HUMIDITY.			THERMOMETERS IN SUN.		THERMOMETERS IN SHADE.						RAIN.		OZONE.	ELECTRICITY DURING MONTH.		Prevailing Winds.	
		9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	Maximum in Sun (Bulb exposed).	Minimum on Grass.	Maximum.	Mean Maximum.	Minimum.	Mean Minimum.	Mean Diurnal Range.	Mean Temperature of Month.	Total Fall.	No. of Wet Days.		Evaporation.	Mean of 24 hours.		Positive.
January	...	29·817	29·788	29·798	82·9	86·2	72·6	74·1	75·6	72·1	·690	·680	·690	139·0	62·0	108·0	91·3	64·0	71·6	19·3	81·7	7·97	11	10·490	6·1	30	63	N.E.
February	...	29·856	29·780	29·848	78·6	82·9	72·9	71·7	73·0	69·1	·530	·660	·660	138·0	60·0	99·0	87·2	62·5	66·6	18·8	78·1	4·23	10	7·230	6·4	32	52	S.E.
March	...	30·032	29·932	29·992	76·1	80·6	71·5	71·6	73·1	69·2	·690	·680	·670	137·0	59·5	98·5	84·6	62·0	64·1	17·3	76·0	9·02	19	5·770	6·5	13	80	N.E.
April	...	30·042	29·940	30·012	70·6	74·2	66·0	67·2	70·2	64·6	·640	·670	·630	118·0	51·0	88·0	78·6	54·0	62·0	16·6	70·3	12·04	18	3·890	6·0	12	78	S.
May	...	29·963	29·876	29·946	64·2	72·0	59·0	59·8	64·0	56·6	·550	·570	·550	122·0	36·0	82·5	76·0	40·0	53·4	21·8	65·2	0·39	3	2·890	7·0	61	32	S.
June	...	30·099	30·006	30·066	58·5	69·2	51·7	55·5	63·9	50·8	·830	·660	·920	123·0	34·0	78·0	71·8	40·5	47·0	26·6	59·8	6·18	7	2·795	7·4	68	22	S.
July	...	30·178	30·085	30·154	50·0	68·7	55·0	55·5	62·3	53·4	·840	·680	·890	126·0	35·0	78·0	70·8	42·0	49·0	21·7	58·0	0·56	3	2·705	8·0	68	23	S.W.
August	...	30·274	30·168	30·250	60·7	72·0	56·0	57·1	63·1	62·4	·700	·630	·890	122·0	27·0	84·0	80·8	34·5	48·7	26·2	61·8	0·00	0	3·730	7·6	88	5	N.E.
September	...	30·232	30·124	30·219	65·0	71·7	59·2	61·1	65·4	57·5	·760	·710	·890	120·0	38·0	83·0	76·2	39·5	51·3	25·3	65·3	1·56	7	5·670	8·3	70	20	N.E.
October	...	30·011	29·898	29·988	72·1	77·0	65·3	70·9	69·3	63·9	·770	·660	·870	127·0	44·0	99·0	81·6	47·0	68·4	23·5	71·4	3·54	13	6·680	9·2	52	41	N.E.
November	...	29·948	29·835	29·952	77·4	80·2	68·9	70·0	72·6	69·4	·690	·640	·850	125·0	53·5	95·0	83·7	56·0	62·8	20·8	75·8	3·37	7	7·160	8·8	58	32	N.E.
December	...	29·824	29·840	29·906	83·0	84·7	74·5	76·1	77·0	68·9	·700	·660	·890	144·0	60·0	98·0	88·7	65·0	69·5	19·5	80·7	5·53	16	9·660	9·0	57	36	N.E.
For year 1869		30·023	29·939	30·011	69·8	76·6	64·4	65·9	69·2	63·1	·707	·658	·783	128·4	46·8	90·9	80·9	50·6	59·5	21·4	70·3	54·39	114	68·670	7·5	51	40	N.E.
„	1868	30·171	30·005	30·075	70·0	77·1	66·1	64·7	69·1	62·6	·720	·634	·812	130·0	36·0	104·0	80·3	59·1	59·8	21·9	71·9	35·98	110	61·258	5·1	57	34	N.E.
„	1867	30·058	29·992	30·040	70·8	77·4	66·6	64·9	68·6	63·6	·706	·644	·851	112·5	37·0	104·5	80·9	59·7	59·5	21·0	70·1	61·04	112	42·313	4·0	50	43	N.E.

The readings of the Barometer are corrected to 32° Fahrenheit, and mean sea level. Previous to September, 1868, the Observations were taken at a height of 70 feet ; and after that date, 140 feet over mean sea level.

EDMUND MAC DONNELL,
Government Meteorological Observer.

METEOROLOGY—continued.

Table No. II.

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT TOOWOOMBA AND WARWICK, QUEENSLAND, DURING SIX MONTHS, JULY TO DECEMBER, 1869.

TOOWOOMBA.—Latitude, 27° 34' S.; Longitude, 152° 10' E.; Height of Observatory above Mean Sea Level, 1,960 feet; Distance from Sea-coast, 80 Miles.

WARWICK.—Latitude, 28° 12' S.; Longitude, 152° 16' E.; Height of Observatory above Mean Sea Level, 1,520 feet; Distance from Sea-coast, 90 Miles.

The readings of the Barometer at Toowoomba and Warwick are corrected to 32° Fahrenheit only.

1869.		MEAN OF BAROMETER.			MEAN TEMPERATURE OF AIR.			MEAN TEMPERATURE OF EVAPORATION.			MEAN HUMIDITY.			THERMOMETERS IN SUN.		THERMOMETERS IN SHADE.						RAIN.		OZONE.	ELECTRICITY DURING MONTH.		PREVAILING WINDS.		
		9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	Maximum in Sun (Bulb in Vacuo).	Minimum on Grass.	Maximum.	Mean Maximum.	Minimum.	Mean Minimum.	Mean Diurnal Range.	Mean Temperature of Month.	Total Fall.	No. of Wet Days.	Mean of 24 hours.	Positive.	Negative.	9 a.m.	3 p.m.	9 p.m.
TOOWOOMBA.	July ...	28.111	28.058	28.098	45.9	57.9	48.5	44.4	50.8	45.7	.880	.610	.810	129.0	24.2	66.4	60.9	28.8	39.0	21.4	50.8	1.37	8	...	63	18	S.W.	S.W.	S.W.
	August ...	28.125	28.060	28.105	48.4	63.2	50.2	46.2	52.9	46.0	.840	.500	.740	148.0	18.4	73.0	61.5	25.3	40.1	25.0	52.6	0.29	3	...	78	15	S.W.	S.W.	S.W.
	September	28.094	28.020	28.077	52.7	65.0	53.5	49.6	54.4	49.1	.800	.510	.720	145.0	22.5	79.0	67.9	33.0	43.4	24.4	55.7	0.85	7	...	81	9	E.	E.	E.
	October ...	27.919	27.837	27.880	61.4	72.9	60.5	55.3	58.7	54.1	.710	.450	.680	154.8	29.2	96.6	77.3	36.8	50.2	27.4	63.7	3.59	9	...	78	6	N.	E.	E.
	November	27.871	27.792	27.837	66.4	78.4	64.6	59.8	64.0	58.1	.670	.450	.660	161.7	41.0	95.5	85.6	47.3	56.3	29.4	67.7	4.39	8	...	81	9	N.E.	N.E.	N.E.
	December	27.856	27.786	27.808	71.3	83.5	73.0	69.9	71.6	67.7	.760	.520	.730	160.0	54.0	100.5	89.7	57.0	63.0	26.0	75.9	5.41	11	...	76	12	N.E.	N.E.	N.E.
	For Six Months	27.996	27.925	27.967	57.7	70.1	58.4	54.2	58.7	53.4	.776	.506	.723	161.7	18.4	100.5	73.8	25.3	48.7	25.6	61.0	15.90	46	...	76	11	N.E.	N.E.	N.E.
WARWICK.	July ...	28.616	28.502	28.593	47.9	59.8	47.5	45.5	52.5	46.0	.890	.600	.890	129.0	24.2	66.4	60.9	21.0	40.0	20.7	51.8	1.38	5	8.0	51	42	S.E.	S.E.	S.E.
	August ...	28.562	28.505	28.576	49.3	65.2	49.4	47.7	55.4	45.9	.830	.530	.800	148.0	18.4	73.0	66.2	24.0	38.2	27.9	54.6	0.79	2	6.0	75	18	S.E.	S.W.	S.W.
	September	28.566	28.460	28.531	55.7	67.8	53.9	51.5	56.3	48.7	.720	.460	.720	145.0	22.5	77.0	69.4	28.0	43.5	29.6	59.0	0.67	2	8.5	75	15	S.E.	S.E.	S.E.
	October ...	28.363	28.272	28.336	64.0	74.8	59.9	57.6	60.9	54.4	.750	.450	.730	154.8	29.2	92.5	78.7	40.0	51.8	27.5	66.2	2.76	8	5.8	72	21	S.E.	S.W.	S.W.
	November	28.391	28.196	28.286	67.7	81.4	66.6	58.1	65.6	59.4	.670	.600	.620	161.7	41.0	92.0	83.9	42.0	56.8	26.8	71.7	0.79	4	7.8	75	15	S.E.	S.E.	S.E.
	December	28.334	28.232	28.278	75.4	83.8	73.2	69.6	70.2	67.1	.720	.510	.750	160.0	54.0	97.5	90.3	59.0	64.4	25.4	77.4	5.57	13	7.5	51	42	S.E.	N.	S.E.
	For Six Months	28.476	28.361	28.433	60.0	72.1	58.4	53.5	60.1	52.7	.763	.525	.752	161.7	18.4	97.5	74.9	24.0	49.1	26.3	61.8	11.96	34	7.3	66	26	S.E.	S.E.	S.E.

Table No. III.

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT CAPE YORK, AND ALSO AT CAPE MORETON, QUEENSLAND, DURING FIVE MONTHS, AUGUST TO DECEMBER, 1869.

CAPE YORK.—Latitude, 10° 44' 30" S. ; Longitude, 142° 36' 15" E. ; height of Observatory, 150 feet. Barometer corrected to 32° Fahrenheit.

CAPE MORETON.—Latitude, 27° 1' S. ; Longitude, 153° 28' E. ; height of Observatory, 320 feet. Barometer corrected to 32° Fahrenheit, and reduced to mean sea level.

1869.		MEAN OF BAROMETER.			MEAN TEMPERATURE OF AIR.			MEAN TEMPERATURE OF EVAPORATION.			MEAN HUMIDITY.			THERMOMETERS IN SUN.		THERMOMETERS IN SHADE.						RAIN.		OSONE.	PREVAILING WINDS.		
		9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	Maximum in Sun (Bulb in Vacuum).	Minimum on Grass.	Maximum.	Mean Maximum.	Minimum.	Mean Minimum.	Mean Diurnal Range.	Mean Temperature of Month.	Total Fall.	No. of Wet Days.	Mean of 24 hours.	9 a.m.	3 p.m.	9 p.m.
CAPE YORK.	August ...	30·137	30·074	30·124	78·2	70·6	75·0	73·8	73·5	72·0	·770	·740	·830	143·0	69·0	84·0	82·5	69·0	71·8	10·7	77·3	0·89	13	5·2	S.E.	S.E.	S.E.
	September	30·147	30·067	31·117	79·7	80·4	76·5	74·7	74·7	73·3	·760	·740	·830	145·0	69·0	85·5	84·0	72·0	74·2	9·7	78·7	0·29	12	6·8	S.E.	S.E.	S.E.
	October ...	29·977	29·877	29·937	82·2	82·5	77·0	75·6	75·5	74·3	·700	·670	·810	152·0	65·5	89·5	86·4	70·0	74·1	12·3	74·0	0·64	6	6·0	S.E.	S.E.	S.E.
	November	29·750	29·660	29·720	77·5	79·3	60·0	69·3	70·9	61·1	·610	·580	·760	158·0	66·5	93·5	90·9	71·3	76·8	14·1	83·9	0·00	0	6·4	S.E.	S.E.	S.E.
	December	29·690	29·610	29·660	81·9	84·9	73·6	71·2	74·8	69·8	·670	·620	·770	155·0	71·0	93·0	89·7	74·0	77·0	12·7	83·3	2·47	12	5·7	S.E.	S.E.	S.E.
	For five Months	29·942	29·858	29·912	70·0	77·1	66·1	64·7	69·1	62·6	·702	·670	·800	158·0	65·5	93·5	86·7	69·0	74·8	11·9	79·4	4·29	43	6·0	S.E.	S.E.	S.E.
CAPE MORETON.	August ...	30·229	30·148	30·198	62·6	68·6	63·3	56·7	57·4	57·9	·740	·620	·720	137·0	35·0	75·0	70·8	46·0	57·4	13·0	64·8	0·71	6	4·4	S.	E.	N.
	September	30·187	30·108	30·165	65·2	70·2	64·2	59·3	61·4	57·9	·690	·590	·670	146·0	43·0	79·0	73·3	50·0	59·4	14·1	66·5	3·93	9	4·5	S.E.	S.E.	E.
	October ...	29·994	29·903	29·949	69·5	70·4	69·1	65·4	67·0	60·8	·750	·640	·430	156·0	53·0	88·0	77·8	59·0	71·3	12·9	71·7	1·23	8	4·4	S.E.	S.E.	S.E.
	November	29·900	29·841	29·858	72·2	77·4	70·8	66·4	69·5	66·4	·720	·640	·770	154·0	53·0	88·0	80·0	60·0	67·1	12·8	73·4	8·98	7	5·3	S.E.	S.E.	S.E.
	December	29·907	29·823	29·870	76·6	82·1	75·6	72·3	75·0	72·5	·780	·690	·810	161·0	59·0	94·0	85·6	67·0	71·9	13·7	78·0	2·71	10	4·4	N.W.	N.E.	N.
	For five Months	30·049	29·964	30·008	69·2	74·9	68·6	64·0	66·0	51·1	·736	·596	·680	161·0	35·0	94·0	77·5	46·0	65·4	13·3	70·9	17·56	40	4·6	S.E.	S.E.	S.E.

EDMUND MACDONNELL,
Government Meteorological Observer.

METEOROLOGY—continued.

Table No. IV.

TABLE OF RAINFALL, SHOWING THE AMOUNT OF RAIN, AND NUMBER OF DAYS RAIN FELL, DURING EACH MONTH.

RAINFALL at BRISBANE for TEN YEARS : Latitude, 27° 28' S. ; Longitude, 153° 6' E. ; distant from Coast, 10 miles ; Height, 140 feet.

MONTHS.	1860.		1861.		1862.		1863.		1864.		1865.		1866.		1867.		1868.		1869.	
	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.
January ...	2·54	9	9·23	17	4·25	12	6·48	19	4·47	15	7·04	10	6·85	11	7·22	16	7·97	11
February ...	9·64	18	4·53	16	2·61	8	15·14	16	9·33	10	4·09	10	12·66	10	6·74	17	4·23	10
March ...	6·58	18	8·86	18	6·87	15	14·36	23	9·48	10	0·70	2	0·81	10	5·37	18	0·58	7	9·02	19
April ...	7·55	18	10·39	19	0·79	8	6·70	14	3·13	12	0·50	3	3·09	15	15·28	19	1·68	7	12·04	18
May ...	0·12	4	2·87	9	2·21	9	0·92	9	2·63	15	0·21	2	3·32	17	8·97	13	1·13	10	0·39	3
June ...	0·96	2	6·88	10	3·00	11	2·75	13	3·01	10	4·28	4	8·62	15	4·14	7	4·18	11	6·18	7
July ...	0·49	7	1·90	7	0·51	2	2·43	11	3·04	7	1·55	4	1·97	10	0·72	6	5·48	10	0·53	3
August ...	12·39	17	10·41	13	1·81	9	4·89	4	0·90	3	4·48	12	0·77	7	0·70	6	0·00	0
September ...	4·18	14	1·83	11	2·71	9	1·07	3	0·98	7	3·36	6	0·70	9	0·92	7	1·87	7	1·56	7
October ...	3·35	12	2·71	6	0·45	5	9·30	13	1·34	9	0·30	2	3·39	9	0·25	3	3·64	5	3·54	13
November ...	3·69	10	4·59	12	0·99	9	4·93	5	2·36	7	0·83	4	1·36	8	2·34	4	2·26	8	3·37	7
December ...	3·14	15	5·15	17	3·88	10	2·93	11	2·34	8	0·35	2	9·50	11	2·77	7	0·50	6	5·53	16
TOTAL	54·63	144	69·44	155	28·27	98	68·82	146	47·00	114	24·11	52	37·24	116	61·04	112	35·98	110	54·36	114

Total Rainfall during ten years, 480·89 inches. Number of days Rain fell, 1,161. Annual mean, 48·09 inches ; 116 days.

Table No. V.

RAINFALL at RAINWORTH, SPRINGSURE, for FIVE YEARS: Latitude, 24° 10' S. ; Longitude, 148° E. ; distant from Coast, 160 miles ; Height, 1,500 feet.—Observations taken by J. GREGSON, Esq.

MONTHS.	1865.		1866.		1867.		1868.		1869.	
	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.
January ...	2·04	3	0·60	3	0·60	2	1·53	5	5·04	8
February ...	3·65	2	0·00	0	2·66	6	4·63	7	4·75	6
March ...	0·83	2	0·00	0	4·69	9	0·00	0	12·85	13
April ...	0·00	0	0·00	0	5·08	6	0·00	0	4·14	6
May ...	0·00	0	0·77	2	3·26	4	0·23	2	1·04	6
June ...	0·00	0	1·72	4	2·07	1	0·47	3	0·00	0
July ...	0·00	0	0·33	2	1·37	5	1·23	3	0·11	1
August ...	0·00	0	1·36	5	0·00	0	0·07	3	0·84	3
September ...	3·25	3	0·32	3	1·71	6	1·17	4	0·98	4
October ...	No record		0·32	2	1·31	5	1·00	5	2·09	5
November ...	1·10	1	4·78	7	1·11	4	1·67	4	1·85	5
December ...	3·34	3	7·75	13	0·32	3	3·47	3	5·36	9
TOTAL	14·21	14	17·93	41	24·18	51	15·47	39	39·05	66

Total Rainfall during five years, 110·84 inches. Number of days Rain fell, 211. Annual mean, 22·17 inches ; 52 days.

Table No. VI.

RAINFALL at WARWICK, for FIVE YEARS: Latitude, 28° 12' S. ; Longitude, 152° 16' E. ; distant from Coast, 90 miles ; Height, 1,520 feet.—Observations taken by T. TOWELL, Esq.

MONTHS.	1865.		1866.		1867.		1868.		1869.	
	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.
January ...	4·03	14	0·00	0	5·24	7	6·14	11	9·92	12
February ...	2·67	8	2·58	7	10·64	4	4·93	9	4·06	4
March ...	0·00	0	0·43	1	4·17	10	0·06	1	5·86	4
April ...	1·71	5	0·15	2	9·05	12	0·19	1	5·64	6
May ...	0·91	2	2·23	5	3·10	8	0·52	3	1·40	3
June ...	1·20	5	2·13	7	4·53	6	2·75	9	1·62	4
July ...	1·46	3	2·14	4	0·40	3	3·29	5	1·38	5
August ...	0·50	2	1·15	4	6·13	4	1·80	5	0·79	2
September ...	0·45	3	0·48	2	3·63	8	0·32	3	0·67	2
October ...	2·00	4	2·01	4	2·32	7	3·03	6	2·76	8
November ...	0·60	2	3·18	10	1·35	3	2·04	6	0·79	4
December ...	0·50	2	7·96	12	2·70	4	3·10	5	5·57	13
TOTAL	16·03	50	24·44	58	53·26	76	28·17	64	40·46	67

Total Rainfall during five years, 162·36 inches. Number of days Rain fell, 315. Annual mean, 32·47 inches ; 63 days.

EDMUND MAC DONNELL,
Government Meteorological Observer.

METEOROLOGY—continued.

Table No. VII.

METEOROLOGICAL OBSERVATIONS taken at BRISBANE, QUEENSLAND, in 1869.

Latitude 27° 28' 3" South ; longitude, 153° 6' 15" East ; distant from sea-coast, 10 miles ; height of Observatory above mean sea level, 140 feet.

MAXIMUM TEMPERATURE of the AIR (in Shade) at BRISBANE, on each day in the Year 1869.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	97·0	87·3	86·5	83·0	80·0	75·0	71·5	72·5	79·0	77·0	64·0	83·0
2	108·0	94·0	89·0	81·0	82·0	77·5	72·5	71·0	75·0	75·0	81·5	85·0
3	91·0	94·0	89·0	70·0	82·0	75·0	74·5	67·0	77·0	80·5	81·5	87·0
4	88·0	99·0	90·0	76·5	81·5	74·0	78·0	69·5	75·0	77·0	81·5	87·5
5	85·0	92·5	98·5	80·0	81·5	78·0	72·0	70·0	80·0	76·0	75·0	95·0
6	89·5	91·5	90·0	74·0	79·5	74·0	74·0	73·0	82·0	75·5	80·0	91·0
7	90·0	84·0	88·0	77·5	76·0	76·5	71·0	72·0	75·0	76·5	84·0	91·5
8	89·0	86·5	90·0	80·5	66·0	75·0	77·5	75·5	79·0	78·0	84·5	89·0
9	91·0	85·0	90·0	79·5	69·0	76·0	72·5	75·0	76·5	85·5	83·5	87·5
10	90·0	89·0	92·5	79·0	74·0	76·5	75·0	72·0	69·0	85·0	87·0	89·0
11	91·0	88·0	90·0	79·0	79·0	67·0	68·5	73·5	72·5	89·0	83·5	88·5
12	89·5	84·5	81·5	85·5	77·5	66·5	71·0	77·5	71·0	69·0	78·5	90·0
13	90·0	92·0	82·5	83·0	78·0	68·5	71·5	76·5	74·5	79·5	82·0	86·0
14	88·0	87·0	85·0	81·0	77·0	72·0	73·0	78·5	76·0	78·0	78·0	94·0
15	90·0	72·0	79·5	79·0	81·0	65·5	72·0	78·0	70·0	77·0	80·0	86·0
16	92·0	74·0	84·5	76·5	79·0	65·5	71·0	84·0	65·5	75·5	84·0	93·0
17	91·0	79·0	85·0	77·0	74·5	62·5	75·0	75·5	74·0	73·0	81·0	92·0
18	92·0	78·0	86·0	78·0	77·0	66·5	68·0	76·5	74·0	77·5	81·5	90·0
19	98·0	84·5	79·0	79·0	71·0	72·5	66·5	75·0	83·0	85·0	83·5	85·0
20	87·5	85·5	75·5	74·5	77·0	72·0	60·5	76·0	80·5	79·5	84·0	87·5
21	86·0	87·0	74·0	76·5	78·5	69·5	70·5	76·0	79·0	86·5	83·0	88·0
22	85·0	91·0	78·0	77·5	82·5	73·0	68·5	73·5	77·5	91·5	85·0	87·5
23	92·5	90·5	81·5	78·0	80·0	71·5	67·5	74·0	83·0	91·5	89·5	87·0
24	92·2	90·5	78·0	84·5	69·0	75·5	67·0	78·0	76·0	89·0	81·5	92·0
25	91·0	89·5	84·0	88·0	71·5	71·5	70·0	77·0	78·0	89·5	92·0	83·0
26	98·5	88·5	82·0	77·0	74·0	70·5	69·5	76·5	74·0	82·0	90·5	87·0
27	98·0	89·5	82·0	73·0	73·0	71·5	72·0	79·0	77·0	89·0	89·0	89·5
28	94·0	89·5	87·5	74·5	73·5	73·5	71·5	79·0	78·5	90·0	92·0	90·5
29	89·0	...	83·0	78·0	70·0	71·0	71·0	72·0	78·0	84·0	95·0	95·0
30	88·0	...	81·0	78·5	68·0	71·0	68·5	73·5	77·0	79·0	95·0	98·0
31	88·0	...	80·5	...	73·0	...	63·5	77·5	...	78·5	...	89·0
Mean of Each Month }	91·3	87·2	84·6	78·6	76·0	71·8	70·8	80·8	76·2	81·6	83·7	88·7

The highest reading, 108°, was on January 2nd.

Table No. VIII.

MINIMUM TEMPERATURE of the AIR (in Shade) at BRISBANE, on each day in the Year 1869.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	68·5	75·5	62·0	70·0	56·0	44·0	56·0	44·0	46·0	54·0	59·5	67·0
2	71·0	75·5	65·5	66·0	60·0	42·0	45·5	49·0	46·0	59·5	63·0	70·0
3	76·0	75·0	66·5	63·5	60·0	44·0	51·0	42·0	46·0	60·0	61·0	66·0
4	71·0	75·5	66·0	66·0	59·0	44·0	56·0	34·5	50·0	58·0	60·5	68·0
5	69·0	76·5	73·5	65·0	59·0	55·0	50·0	38·5	47·0	60·5	59·0	73·5
6	74·0	73·0	68·5	68·0	55·0	45·0	53·0	46·0	52·5	58·0	62·0	72·0
7	66·0	70·5	70·0	67·5	54·0	42·0	50·5	45·0	49·0	47·0	56·0	72·0
8	65·0	68·5	71·0	66·5	51·0	42·5	54·5	45·0	47·0	55·0	64·5	68·0
9	64·0	67·0	70·0	67·5	56·0	42·0	50·0	56·5	46·5	58·0	68·0	67·5
10	70·0	69·5	69·0	69·5	58·5	53·0	43·0	56·5	39·5	62·5	62·5	69·0
11	69·0	67·5	68·0	68·0	50·5	43·0	43·0	53·0	54·0	66·0	65·5	71·0
12	71·0	67·0	66·0	61·0	52·0	40·5	46·0	47·0	51·0	53·0	62·0	69·0
13	76·0	67·0	68·0	64·5	46·5	39·5	43·0	46·0	51·5	50·0	64·0	65·0
14	75·0	67·0	67·5	60·0	46·0	50·5	51·0	47·0	56·5	53·0	62·0	67·0
15	73·0	65·0	67·0	60·0	53·5	56·5	51·0	49·0	57·0	57·5	59·5	71·0
16	70·0	66·0	64·5	58·0	57·5	56·5	48·0	47·0	53·0	59·0	60·5	73·0
17	73·0	66·0	65·5	60·5	60·5	59·5	49·0	43·0	60·5	59·5	59·0	68·0
18	69·0	65·0	69·0	59·5	62·5	58·0	53·5	48·0	58·5	58·5	58·0	68·0
19	67·0	65·0	67·0	59·5	61·0	53·5	46·0	46·5	59·5	60·0	61·0	69·0
20	69·0	65·0	66·5	63·5	56·5	50·0	46·5	47·0	51·5	58·5	61·0	70·0
21	74·0	62·5	66·0	64·5	59·5	47·5	48·0	52·0	47·0	61·0	66·0	69·0
22	66·5	64·5	65·5	62·5	59·5	54·5	47·5	50·5	50·0	60·5	66·0	71·0
23	72·5	66·0	66·5	61·0	52·5	52·5	51·0	48·0	53·0	68·5	70·0	70·0
24	76·0	65·0	62·5	59·5	58·0	44·0	49·0	56·0	52·0	63·5	68·0	69·0
25	72·5	65·0	64·0	55·5	48·0	39·5	50·0	52·5	51·0	58·0	77·0	68·0
26	73·0	64·0	67·0	54·0	45·0	40·5	46·5	59·0	49·0	61·0	58·0	69·0
27	77·0	67·0	66·0	56·0	46·0	48·0	49·0	49·5	50·5	58·0	66·0	68·5
28	75·0	64·5	66·0	54·5	45·0	42·5	53·0	54·5	52·0	65·0	58·5	74·5
29	75·0	...	72·0	55·0	45·0	42·0	54·0	54·5	55·5	57·0	66·0	75·0
30	77·0	...	70·0	55·5	43·0	41·0	43·0	51·0	52·0	59·0	67·5	70·0
31	74·5	...	72·0	...	40·0	...	42·0	53·5	...	62·0	...	67·5
Mean of Each Month }	71·6	66·6	64·1	62·0	53·4	47·0	49·0	48·7	51·3	68·4	62·8	69·5

The lowest reading, 34°, was on August 4th.

METEOROLOGY—continued.

Table No. IX.

MAXIMUM TEMPERATURE in SUN (Solar Radiation) at BRISBANE, on each day during the Year 1869.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	135·0	114·0	120·0	110·0	115·0	113·0	96·0	111·0	112·0	112·0	72·0	120·0
2	139·0	128·0	125·0	94·0	116·0	118·5	105 0	120·0	114·0	111·5	104·0	119·0
3	122·0	129·0	128·0	78·5	117·0	115·5	100·0	104·0	120·0	111·0	111·0	115·0
4	111·0	138·0	131·0	105·0	116·0	114·0	102·0	104 0	118·0	108·0	112·0	120·0
5	118·0	130·0	137 0	111·0	115·0	123·0	108·0	110·0	121·0	114·0	102·0	122·0
6	120 0	129·0	135·0	82·0	112 5	119·0	109 0	120·0	120 0	101·0	114·0	121·0
7	124·0	115·5	128·0	97 0	111·0	117·0	107·0	120·0	120·0	113·0	113·0	127·0
8	125 0	122·5	133·0	100·0	84·0	113·0	113·0	122·0	112·0	116·0	118·0	124·0
9	124·5	119·0	132·0	109·0	102·5	119·0	111·0	115·0	110·0	120·0	117·0	118·0
10	122·0	122·0	132·0	101·0	102·0	119·0	109·0	107·0	105 0	115·0	120·0	118·0
11	127·5	125·0	130·0	108·0	114·0	102·0	107·0	105·0	98·0	122·0	117·0	118·0
12	126 0	112·0	114·0	118·0	119·0	108·0	109·0	113·0	90·0	72·0	105·0	116·0
13	126·0	130·0	113·0	105·0	119·5	106·0	114·0	116·0	109·0	103·0	118·0	112·0
14	112·5	125·0	118·0	101·5	122·0	103·0	109·0	117·0	119·0	113·0	112·0	124·0
15	115·0	71·0	104·0	115·0	112·0	77·0	112·0	115·0	94·0	110·0	111·0	122·0
16	121 5	79·0	116·5	101·0	108·0	66·0	96·0	118·0	77·0	114·0	116·0	135·0
17	126·0	94·0	121·5	108·5	96 0	67·0	114·0	113·0	100·0	94·0	112·0	138·5
18	124·5	97 0	110·0	100·0	100·0	81·0	101·0	111·0	105·0	112·0	119·0	113·0
19	125·0	120·0	99·0	114·0	80·0	98·0	96·0	113·0	120·0	121·0	116 0	123·0
20	116·0	124·0	85·0	90·0	110 0	103·0	95·0	114·0	109·0	117·0	116·0	127·0
21	113 5	126·5	83·0	97·0	112 0	113·0	104·0	110·0	110·0	121·0	111·0	138·0
22	109·0	130·5	87·5	103 0	115·0	102·5	104·0	108·0	114·0	124·0	112·0	138·0
23	120·0	135·0	108·0	106·0	115·0	105·5	103·0	114·0	105·0	123·0	119 0	140·0
24	125·0	134·0	96·5	112 0	96·0	107 0	101·0	115 0	114·0	125 0	93·0	140·5
25	125·0	132 0	119·5	118·0	105·0	98·5	107·0	106·0	118·0	114·0	119·0	118·0
26	128·0	131·0	114·0	112·0	110·0	98·5	105·0	100·0	114·0	116·0	115·0	115·0
27	127 0	135·0	114·0	101·0	109·0	105 0	126·0	113·0	115·0	127·0	117·0	118·0
28	127·0	128·0	115·0	110 0	113·0	105 0	118 0	120·0	115·0	122·0	120·0	116·0
29	117·0	...	96·5	112·0	109 0	102·0	112·0	93·0	113 0	118·0	125·0	137·0
30	122·0	...	101·0	113·0	105·5	109·0	102·0	113·0	111·0	116·0	124·0	144·0
31	114·0	...	109·0	...	113 0	...	109·0	115·0	...	117·0	...	114·0
Mean of each Month }	122·2	120·6	114·7	104·7	108·8	104·2	106·5	112·0	110·1	113·6	112·7	124·2

The highest reading, 144°, was on December 30th.

Table No. X.

MINIMUM of TEMPERATURE of the AIR at BRISBANE (taken on Grass), on each day in the Year 1869.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	66·0	74·0	59·5	68 0	54·0	41·0	58·0	41·0	44·0	52·0	58 0	63·5
2	70·0	74·0	63·0	65·0	58 0	37·5	45·0	44·0	45·0	58 0	59·5	66·0
3	75·0	73·0	63·5	62 0	57·0	39·0	36 0	35 0	45·0	59·0	58·0	63·0
4	68·0	74·0	63·0	65·0	56·5	41·0	40 0	27 0	48·0	55·5	59·0	65·0
5	66·0	75·0	70·5	64·0	64·0	53·0	47·0	35·0	46·0	57·0	56·0	68·0
6	73 0	72·0	63·0	66·5	52·0	42 0	50·0	41·0	51·0	55·0	56·0	68·0
7	64·0	68·5	66·0	66·0	50·0	39·0	48·0	41·5	47·0	44·0	53·5	67·0
8	65·0	67·0	68·0	64·0	47 0	39 0	49 5	41·5	45·5	53·0	61·0	63·0
9	62·0	65·0	67·5	66·5	52·0	38 0	47·5	54·5	45·0	55·5	65·0	64·0
10	68·5	68·0	66·5	68·0	54·0	49·0	38·0	53·5	38·0	59·0	60·0	65·5
11	68·0	66·5	66·0	66·0	47·0	36 5	37·0	48·5	51·0	64·0	63·5	67·0
12	70·0	66·0	63·0	59·0	47·0	34·5	42·0	46·0	49·0	47·0	60·0	64·0
13	74·0	65·0	65·5	62·5	42·0	36·5	38·5	45 0	50 0	46·0	61·0	60·0
14	74·0	65·0	63·0	57 0	42·0	46·5	46·0	44·5	56·5	49·0	59·0	66·0
15	72·0	63·0	65·0	59·0	50·0	53·0	45·5	46·0	56 5	53·0	57·0	68·0
16	68·0	64·0	62·5	56 0	55·0	55·0	46·0	42·0	57·0	55·5	58·0	70·0
17	71·5	64·0	64·0	59·0	56·5	57 0	44·0	42·0	59·0	58·5	57·0	62·0
18	68·5	63·0	67·0	58·0	61·5	52 0	51·5	46·0	58 0	57·0	55·5	62·0
19	64·0	63·0	65·0	59·0	58·5	48·0	38·0	45·0	57 5	57·0	56·0	65·0
20	66·0	62 5	65·0	61·0	53·0	45·0	39·5	45·5	49 0	55·0	56·0	66·0
21	72·0	60 0	61·5	62·0	57·5	45·0	41·0	48 0	46 0	58 0	62·0	66·0
22	66·0	62 5	63·5	60·5	56·5	48·5	42·0	50·0	48 0	54·0	62·0	66·5
23	68·0	63·0	65 0	58·0	51·0	50·0	46·0	46·0	51·0	67 0	67·0	65·5
24	74 5	62·5	61 0	58·0	53 0	38·0	44·0	53·5	50·0	63·0	66·0	63·0
25	71·0	63·0	62 0	52·0	42 0	34·5	46·5	51·5	50·0	54·0	71·0	63·0
26	71·0	62·0	66 0	51 0	43 5	37·5	42·0	58·0	47·5	57·5	53·5	63·0
27	76·0	65 5	63·5	54·0	43 0	43·0	44·0	47·5	49·5	56·5	56·0	63·0
28	74·0	62 0	64·5	54·0	38 0	36·0	44 0	53·0	51·0	60·5	54 0	68·0
29	73·0	...	70·0	54·0	39·0	38·0	48·0	53·0	53·0	54·5	60·0	68·0
30	76·0	...	69·0	53·0	38 0	34·0	36·0	50·5	50·0	56·5	64·0	64·0
31	73·0	...	70·0	...	36·0	...	35 0	51·5	...	60·0	...	60·0
Mean of each Month }	69·3	51·8	65 0	60·5	50·5	42·8	43·6	49 3	49·8	55·5	59·4	65·0

The lowest reading, 27°, was on August 4th.

METEOROLOGY—continued.

Table No. XI.

RANGE of TEMPERATURE (in shade) at BRISBANE, for each Day in the Year 1869.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	18·5	11·5	24·5	13·0	24·0	21·0	15·5	28·5	33·0	23·0	24·0	16·0
2	37·0	18·5	23·5	15·0	22·0	35·5	27·0	22·0	29·0	16·5	18·5	15·0
3	15·0	19·0	22·5	6·5	22·0	31·0	21·5	25·0	31·0	20·5	20·5	21·0
4	17·0	23·5	24·0	10·5	22·5	30·0	22·0	35·0	25·0	19·0	21·0	19·5
5	16·0	16·0	25·0	15·0	22·5	23·0	22·0	31·5	33·0	15·5	16·0	21·5
6	14·5	18·5	23·5	6·0	24·5	29·0	21·0	27·0	29·5	17·5	18·0	19·0
7	24·0	13·5	18·0	10·0	22·0	24·5	20·5	27·0	26·0	19·5	23·0	19·5
8	24·0	18·0	19·0	13·5	15·0	32·5	23·0	30·5	32·5	23·0	20·0	21·0
9	27·0	18·0	20·0	12·0	13·0	34·0	22·5	18·5	30·0	27·5	15·5	20·0
10	20·0	19·5	23·5	10·5	15·5	23·5	32·0	15·5	29·5	22·5	24·5	20·0
11	22·0	20·5	22·0	11·0	28·5	24·0	25·5	20·0	23·5	23·0	18·0	17·5
12	18·5	17·5	15·5	24·5	15·5	26·0	25·0	30·5	20·0	16·0	16·5	21·0
13	15·0	15·0	14·0	18·5	21·5	29·0	28·5	30·5	23·0	29·5	18·0	21·0
14	13·0	20·0	17·5	21·0	21·0	21·5	22·0	31·5	19·5	25·0	16·0	27·0
15	17·0	7·0	12·5	19·0	27·5	9·0	21·0	29·0	13·0	19·5	20·5	15·0
16	22·0	8·0	20·0	18·5	21·5	9·0	23·0	37·0	7·5	16·5	23·5	20·0
17	18·0	13·0	19·5	16·5	14·0	3·0	26·0	32·5	13·5	13·5	22·0	24·0
18	23·0	13·0	17·0	18·5	15·5	8·5	15·5	28·5	17·5	19·0	23·5	22·0
19	31·0	19·5	21·0	19·5	10·0	19·0	20·5	28·5	24·0	25·0	22·5	16·0
20	7·5	20·5	9·0	11·0	21·5	22·0	14·0	29·0	29·0	21·0	23·0	17·5
21	12·0	24·5	8·0	12·0	19·0	22·0	22·5	24·0	32·0	25·5	17·5	19·0
22	18·5	26·5	12·5	15·0	23·0	18·5	21·0	23·0	27·5	31·0	19·0	16·5
23	20·0	23·5	15·0	17·0	27·5	19·0	16·5	26·0	30·0	23·0	19·5	15·0
24	16·0	25·5	15·5	25·0	11·0	31·5	18·0	22·0	24·0	25·5	13·5	23·0
25	18·5	24·5	20·0	32·5	23·5	32·0	20·0	24·5	27·0	31·5	15·5	15·0
26	25·5	24·5	15·0	23·0	29·0	30·0	23·0	17·5	25·0	21·0	32·5	18·0
27	21·0	22·5	16·0	17·0	27·0	22·5	23·0	29·5	26·5	41·0	29·0	21·0
28	19·0	25·0	20·5	20·0	28·5	31·0	18·5	24·5	26·5	25·0	33·5	16·0
29	14·0	...	11·0	23·0	25·0	29·0	17·0	17·5	22·5	27·0	29·0	20·0
30	11·0	...	11·0	23·0	21·0	30·0	25·5	22·5	25·0	20·0	27·5	28·0
31	13·5	...	8·5	...	33·0	...	21·5	24·0	...	16·5	...	21·5
Mean of each Month }	19·3	18·8	17·3	16·5	21·8	26·6	21·7	26·2	25·3	23·5	20·8	19·5

The Maximum Diurnal Range, 37·0, was on 2nd January ; the Minimum, 3·0, on 17th June.

Table No. XII.

EVAPORATION, in inches, at BRISBANE, on each Day during the Year 1869.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	·420	·210	·290	·130	·120	·100	·135	·100	·280	·180	·080	·320
2	·500	·240	·340	·050	·190	·100	·065	·080	·140	·170	·100	·310
3	·360	·340	·260	·060	·110	·130	·025	·220	·140	·190	·120	·260
4	·290	·310	·290	·080	·100	·100	·040	·110	·160	·200	·110	·280
5	·310	·300	·360	·100	·070	·110	·080	·110	·180	·170	·180	·290
6	·410	·320	·240	·080	·140	·090	·100	·090	·250	·180	·170	·300
7	·350	·290	·230	·070	·100	·120	·060	·080	·150	·160	·220	·310
8	·330	·200	·340	·090	·110	·110	·070	·090	·160	·170	·240	·300
9	·310	·240	·240	·070	·090	·130	·050	·140	·380	·210	·270	·290
10	·410	·370	·270	·080	·180	·160	·100	·070	·210	·330	·200	·270
11	·340	·300	·250	·100	·150	·190	·100	·090	·180	·240	·230	·240
12	·430	·200	·170	·170	·100	·100	·090	·150	·130	·100	·240	·280
13	·340	·270	·140	·100	·120	·070	·090	·110	·160	·330	·260	·280
14	·300	·190	·100	·080	·120	·100	·120	·110	·190	·290	·250	·270
15	·240	·140	·170	·120	·130	·060	·090	·140	·180	·180	·260	·290
16	·430	·150	·200	·130	·070	·030	·080	·170	·030	·140	·280	·290
17	·380	·100	·220	·060	·050	·040	·080	·180	·080	·140	·270	·280
18	·290	·240	·170	·100	·110	·090	·090	·130	·100	·150	·290	·270
19	·360	·200	·090	·110	·040	·140	·040	·120	·190	·130	·200	·270
20	·350	·210	·100	·100	·080	·090	·180	·110	·290	·230	·300	·310
21	·350	·210	·060	·070	·110	·070	·080	·090	·150	·250	·130	·300
22	·220	·300	·130	·030	·160	·050	·120	·130	·280	·300	·300	·290
23	·300	·315	·110	·050	·120	·050	·070	·140	·260	·300	·310	·280
24	·310	·275	·120	·120	·070	·080	·080	·170	·220	·180	·100	·240
25	·360	·350	·170	·140	·190	·080	·060	·100	·190	·320	·290	·280
26	·370	·360	·150	·160	·100	·060	·080	·070	·150	·290	·320	·270
27	·310	·380	·120	·150	·190	·060	·090	·110	·220	·300	·310	·200
28	·350	·210	·130	·070	·100	·090	·090	·150	·260	·260	·310	·290
29	·180	...	·118	·100	·140	·100	·060	·090	·170	·210	·320	·270
30	·290	...	·100	·120	·110	·095	·180	·110	·190	·200	·330	·320
31	·300	...	·080	...	·140	...	·110	·170	...	·180	...	·210
Total of each Month }	10·490	7·230	5·770	2·890	3·610	2·795	2·705	3·730	5·670	6·680	7·160	8·660
Daily Mean	·338	·258	·186	·096	·116	·093	·087	·120	·189	·215	·238	·279

Total Evaporation of year, 67·390 inches. The maximum, ·500, was on January 2nd, the warmest day during the year.

METEOROLOGY—continued.

Table No. XIII.

RAINFALL at BRISBANE for each Day during the Year 1869.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August	September.	October.	November.	December.
1	·40	...
2	1·90	·02	·03	·02
3	...	1·45	...	·75	·20
4	·22	·36	·22
5	...	·38	·07	·67	·10	·05	·05
6	1·25	1·18	·10	·70
7	2·33
8	·14	·75	·04
9	·13	·12	·02
10	...	·01	...	·80	·02	·75	·13
11	...	·14	·25	1·78	·50
12	...	·48	·01	·10	·45
13	·02	...	·02	·85	·75
14	1·11	·55	·15	·21
15	...	·76	1·54	1·46	·01
16	·08	·11	1·35	·46	·04	...	·17
17	1·87	·28	...	·07	...	1·90	·10	·41	...	·27
18	·09	·01	...	·54	·55
19	...	·07	·70	·63	·21	...	·16
20	1·94	·46
21	3·62	...	·18	·09	...	·05
22	·15	...	·58	·24	·15	·03	·01
23	·53	·02	·03	·06
24	·40	...	1·00	...	·03	·26	1·75	·73
25	·04	·53	·10
26	·05	·12	·65
27	·49	·80
28	·02	·02
29	·30
30	·33	·86
31	·14	...	·09	·27
Total in Each Month }	7·97	4·23	9·02	12·04	0·39	6·18	0·53	0·00	1·56	3·54	3·37	5·53
No. of days on which rain fell }	11	10	19	18	3	7	3	0	7	13	7	16

Total Rainfall during the year, 54·36 inches. Number of days on which Rain fell, 114.

On January 21st (at 7 p.m.), during a storm from south, 3·48 inches of rain fell in one hour ; being the largest amount for a similar time recorded here.

Table No. XIV.

DIRECTION of the WIND at BRISBANE during each Month in the Year 1869.

Direction.	January.			February.			March.			April.			May.			June.			July.			August.			September.			October.			November.			December.			Total in each direction.
	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.				
North ...	1	...	1	2	2	1	4	1	...	1	7	...	1	6	5	5	3	4	2	5	6	2	4	61
North-west	1	1	...	2	4	1	2	2	1	1	...	1	2	1	...	2	2	2	...	2	1	...	3	3	3	36	
West ...	1	1	...	1	1	2	2	1	3	4	...	7	3	1	1	4	2	1	5	1	2	5	3	2	2	1	3	...	1	62		
South-west	1	...	1	4	1	...	11	8	9	5	7	12	6	7	7	...	3	2	4	2	1	1	...	1	2	1	100	
South ..	3	3	6	5	...	4	8	3	9	14	10	18	15	11	11	20	4	5	22	5	13	21	1	5	20	...	12	6	3	4	8	...	8	5	1	2	285
South-east	2	...	1	11	14	12	8	9	5	5	10	6	1	5	1	5	8	7	2	12	2	4	2	...	4	5	1	6	3	7	6	6	4	3	1	3	181
East ...	6	3	2	1	2	1	5	8	7	3	7	4	2	1	...	2	2	...	2	6	2	...	7	1	1	2	1	1	1	...	1	...	1	84	
North-east	17	25	21	6	11	6	4	11	10	1	2	2	1	2	...	3	3	2	16	8	...	13	2	7	16	11	7	17	13	11	24	15	286	

EDMUND MAC DONNELL,
Government Meteorological Observer.

APPENDIX C.

RETURN of the Registration Districts, with the Names of the Persons holding the Office of District Registrar in 1869.

METROPOLITAN DISTRICT.*
FREDERICK RAWLINS, Registrar-General.

COUNTRY DISTRICTS.

BANANA	W. H. CLYDE, succeeded by WM. CAVE.
BOWEN	HENRY BRAMSTON.
BROADSOUND (St. LAWRENCE)	HORACE BURKITT.
CAPE RIVER... ..	W. R. O. HILL.
CARDWELL	CHARLES H. EDEN.
CARPENTARIA (BURKE)	GEORGE F. SANDROCK.
CLEVELAND BAY (TOWNSVILLE)†... ..	JAMES GORDON.
CONDAMINE	W. C. N. BUSSELL, succeeded by SYDNEY B. TERRY.
DALBY	F. W. ROCHE.
DRAYTON AND TOOWOOMBA‡	WILLIAM MURPHY.
GAYNDAH	ROBERT VINCENT, succeeded by BENJAMIN CRIBB.
GILBERT GOLD FIELDS	THOMAS F. D'C. BROWN, succeeded by M. O'MALLEY.
GOONDIWINDI	W. R. GOODALL.
IPSWICH	WILLIAM HENDREN.
ISAACS EAST (NEBO)	G. F. PRICE.
LEYBURN	GEORGE L. LUKIN.
MACKAY	FREDERICK NANTES.
NANANGO	ARTHUR HALLORAN, JUNR.
NORTH COOK (SOMERSET)... ..	FRANK L. JARDINE, succeeded by H. M. CHESTER.
PEAK DOWNS (CLERMONT)	HUGH STOWELL.
PORT CURTIS (GLADSTONE)	JOHN S. POWE.
PRINCHESTER	BENJAMIN ROWLANDS, succeeded by THOMAS ILLIDGE.
ROCKHAMPTON	FRANK N. BEDDEK.
ROMA	W. O. NORRIS.
ST. GEORGE	QUINTIN A. THOMPSON, succeeded by R. C. H. UHR.
SPRINGSURE	CHARLES SHORT DICKEN.
SURAT	RICHARD T. TAYLOR.
TAMBO (MITCHELL)	ALFRED HENRY.
TAROOM	WILLIAM CAVE, succeeded by THOMAS J. SÄDLIER.
WARREGO (CHARLEVILLE)§	POLLET CARDEW.
WARWICK	W. H. BROWN, succeeded by ALFRED S. HEATHCOTE.
WIDE BAY (MARYBOROUGH) 	JOHN H. STEVENS.
WOOGAROO	KEARSEY CANNAN, succeeded by G. W. BARRYMORE.

* Sub-Districts—Logan and Cleveland.
† Ditto Ravenswood Gold Fields.
‡ Ditto Drayton.
§ Ditto Coonamulla.
|| Ditto Gympie.